Franklin County and Township Stormwater Management Program 2022 - 2026

Table of Contents

Introduction and Background	4
1. Purpose	4
2. Stormwater Partnership	
3. Development of the SWMP	7
4. Community Description	
5. Conclusion	11
The Program	12
1. Public Education and Outreach	12
A. Introduction	12
B. Decision Process	
C. Best Management Practices	13
D. Themes	
E. Target Audiences	14
F. Responsible Party and Legal Authority	14
G. Measurable Goals and Planned Activities	
2. Public Participation and Involvement	
A. Introduction	
B. Decision Process	19
C. Best Management Practices	20
D. Themes	
E. Target Audiences	
F. Types of Public Involvement	
G. Responsible Party and Legal Authority	
H. Measurable Goals and Planned Activities	
3. Illicit Discharge Detection and Elimination	
A. Introduction	
B. Decision Process	
C. Summary of Planned Activities	
D. Responsible Party and Legal Authority	
E. Measurable Goals and Planned Activities	
4. Construction Site Stormwater Runoff Control	
A. Introduction	
B. Decision Process	
C. Responsible Party and Legal Authority	
D. Measurable Goals and Planned Activities	36
5. Post-Construction Stormwater Management in New Development and Redevelopment	
A. Introduction	
B. Decision Process	
C. Responsible Party and Legal Authority	
D. Measurable Goals and Planned Activities	
6. Pollution Prevention and Good Housekeeping	
A. Introduction B. Decision Process	
C. Description of Facilities Owned and Operated by Co-Permittees	
D. Other Considerations: Green Infrastructure	
E. Responsible Party and Legal Authority	
F. Measurable Goals and Planned Activities	
Appendix	
A. Table of Organization	
B. HSTS Schedule and Plan for Elimination	
C. Sanitary Sewer Projects	
D. Sediment and Erosion Control Enforcement Escalation Process	
E. Sediment and Erosion Control Inspection Checklist	
E. Seament and Erosion Control Inspection Checklist	04

The Franklin County Stormwater Partnership and program were initiated in 2003 to coordinate programs related to drainage management, water quality management and stormwater regulation compliance. The partnership was formed among the County Drainage Engineer, Economic Development and Planning, Sanitary Engineer, Public Health, Franklin Soil and Water Conservation District and 17 townships. More recently, Franklin County Public Facilities Management and Fleet Management, the Mid-Ohio Regional Planning Commission, and the Village of Lockbourne have joined the partnership. The Franklin County Commissioners are the Permittee with the County Drainage Engineer and townships as Co-Permittees, for compliance with the Small MS4 general permit under the Ohio EPA Stormwater regulation program.

Stormwater regulations are authorized by the Federal Clean Water Act, mandated by the US Environmental Protection Agency and executed by the Ohio Environmental Protection Agency (OEPA), Division of Surface Water. Stormwater discharges from Municipal Separate Storm Sewer Systems (MS4s) in urbanized areas are subject to stormwater regulations. Stormwater discharges from the MS4s owned and operated by Franklin County and the Townships are permitted under OEPA General Permit # OHQ000004. The Franklin County Stormwater Program is focused on reducing the volume of and managing the pollution of stormwater that is conveyed through municipal storm sewers to community streams to meet permit requirements.

Permit requirements are organized into six minimum control measures (MCMs). The minimum control measures encompass public education, public outreach and involvement, illicit discharge detection and elimination, construction site runoff control, post construction stormwater management, and good housekeeping for municipal facilities and operations. Best Management Practices (BMPs) are outlined under each minimum control measure. This document outlines planned activities for each BMP which have been developed to meet or exceed permit requirements, and to efficiently manage pollutants of concern for the benefit of the environment and the community. These planned activities are intended to meet permit requirements while making the best use of available resources and knowledge and experience of existing agencies, partners and staff.

Highlights of targets for the stormwater program include:

- multifaceted stormwater communications and education efforts with support from all partners that are tied to current research and innovative approaches;
- continued resolution of illicit discharges including failing household sewage treatment systems (HSTS) within Franklin County;
- continued mapping of storm sewers to be added to existing drainage and stream resource maps;
- participation of all county and township building and fleet managers in pollution prevention programs; and
- Stormwater Pollution Prevention Plans (SWPPPs) are completed for county and township fleet and storage facilities as required by the stormwater permit.

1. Purpose

The purpose of the Stormwater Management Program (SWMP) is to protect and improve water quality, stream corridors and public health in accordance with federal and state stormwater regulations. Polluted stormwater runoff is often transported through municipal separate storm sewer systems (MS4s) and ultimately discharged into local rivers and streams without treatment. To address this reality, federal and state regulations require the establishment of MS4 stormwater management programs to improve the nation's waterways by reducing the quantity of pollutants that stormwater picks up and carries into storm sewer systems during storm events. Common pollutants include oil and grease from roadways, pesticides from lawns, sediment from construction sites, bacteria from failing septic systems and carelessly discarded trash. When deposited into nearby waterways through MS4 discharges, these pollutants can impair the waterways, thereby discouraging recreational use of the resource, contaminating drinking water supplies and impairing the habitat of fish, other aquatic organisms and wildlife.

Franklin County and its townships are required by the MS4 Stormwater permit administered by the Ohio Environmental Protection Agency (Ohio EPA) to develop, implement and support a Stormwater Management Program to the maximum extent practicable (MEP) to protect water quality. The requirements of the stormwater permit are developed and administered by Ohio EPA as authorized by the Ohio Revised Code (ORC) Chapter 6111 on water pollution control and as required by the Federal Clean Water Act. The SWMP must include management practices, control techniques, system designs, and engineering methods and shall be modified to include provisions as Ohio EPA determines appropriate after its review of the program for the control of stormwater pollutants. The stormwater permit applies only to the MS4s in the urbanized area as defined by the 2010 US Census. The townships and Franklin County are each responsible for the MS4s they own and operate.

Requirements for the SWMP are outlined under the Municipal Separate Storm Sewer System NPDES Permit # OHQ000004. The MS4 Stormwater Permit outlines six minimum measures (MCMs) that a SWMP must address. These minimum measures are:

- 1) public education and outreach,
- 2) public participation / involvement,
- 3) illicit discharge detection and elimination (IDDE),
- 4) construction site runoff control,
- 5) post-construction runoff control and
- 6) pollution prevention / good housekeeping for municipal operations.

The stormwater program shall include best management practices (BMPs) for each minimum measure and a table of organization indicating lines of communication, authority and responsibility. Each minimum measure shall include statements as to legal authority and rationale.

The SWMP also overlaps with other partner agencies' objectives. Franklin County Public Health is committed to addressing household sewage treatment system (HSTS) failures, Franklin Soil and Water and Mid-Ohio Regional Planning Commission are committed to improving and expanding digital natural resource data available to land use managers and increasing the adoption of green infrastructure practices beyond minimum requirements. And all agencies share

the County Commissioners environmental goals, as stated in Resolution NO. 683-06, of ensuring environmental quality in making decisions related to transportation, growth management and economic development, and will practice environmentally responsible growth when establishing policy on land use, infrastructure development, green space and natural resource preservation. These objectives are considered when developing and managing the Franklin County Stormwater Program.

2. Stormwater Partnership

The County Stormwater Partnership was initiated on May 27, 2003 with the appointment of the County Engineer as County Drainage Engineer under County Resolution NO. 503-03. This action was aimed at combining resources to improve communication and ideas regarding improved drainage management, water quality initiatives and stormwater regulation. This was a significant achievement which continues to speak to the cooperative relationship between county agencies and townships.

As a result of this partnership, the Franklin County Board of Commissioners and 17 townships decided to submit a joint permit as allowed by NPDES Permit # OHQ100000. All 17 townships, the Franklin County Drainage Engineer (FCDE), the Franklin County Engineer's Office (FCEO), Franklin County Public Health (FCPH), Franklin County EDP, Franklin Soil and Water Conservation District (FSWCD), and Franklin County Sanitary Engineer (FCSE) already have a strong working relationship as developed through the Franklin County Technical Review Committee. The Village of Lockbourne has also joined as a co-permittee. These organizations now make up the core of the Franklin County Stormwater Partnership. Franklin County Fleet Management and Public Facilities Management have joined the partnership to better address pollution prevention and good housekeeping requirements, and Mid-Ohio Regional Planning Commission (MORPC) has also joined the partnership as an additional resource and supporter through the Central Ohio Greenways Program.

The joint permit for the small MS4 general permit renewal in 2009 required that each co-permittee complete and submit a separate co-permittee Notice of Intent (NOI) form. There continues to be no additional application fee for co-permittees therefore reducing the overall costs for the permit application process.

The Franklin County Stormwater Partnership is organized under the Stormwater Executive Committee. This Committee has representatives from each partnership agency and a representative from the townships. The regulated agencies in this partnership are Franklin County, the 17 Townships, and the Village of Lockbourne.

Involvement of the agencies and organizations include:

- The FCDE was organized to provide oversight to the Franklin County Stormwater Program with the goal of working with existing partnerships to address stormwater quantity and quality needs through the Franklin County Stormwater Partnership. FCDE provides final oversight to permit compliance, annual reporting and stormwater management planning. FCDE also coordinates and communicates mutually beneficial objectives and projects between drainage and stormwater management efforts to the County Stormwater Partnership.
- The FCEO staff provides engineering support for all drainage and stormwater pollution prevention plan reviews and long-term post construction oversight and management.

Additional guidance is provided to supplement township knowledge of good housekeeping and pollution prevention for government operations.

- FSWCD provides support to the program as the county's natural resource expert. Staff provides the following services: construction site plan reviews, construction site inspections and assistance with mapping and reviewing post-construction facilities as directed by Franklin County EDP for compliance with stormwater regulations. FSWCD leads programming public outreach and education, public involvement and participation, stormwater mapping, implementing green infrastructure demonstration projects, and coordinates natural resource conservation programming with stormwater objectives. FSWCD also provides support by providing information to townships, coordination for good housekeeping and assistance with annual reporting to Ohio EPA.
- Franklin County EDP is responsible for coordinating reviews and approvals from the Franklin County Technical Review Committee. EDP administers zoning for 10 of the 17 townships and subdivision regulations for all 17 townships. Seven townships are responsible for administering township zoning regulations. Franklin County EDP oversees the regulations and procedures for long-term post construction management for the townships they administer zoning for, and townships with their own zoning oversee their own regulations and procedures for long-term post construction management. They work with FCDE or FSWCD to map and manage the post-construction facilities.
- FCPH leads the Illicit Discharge Detection and Elimination (IDDE) program, providing leadership and legal authority for monitoring HSTS and addressing illicit discharge issues in partnership with the Franklin County Sanitary Engineer, the Franklin County Sheriff's Office and the Franklin County Environmental Court.
- The FCSE provides funding and political support and oversees construction of county sanitary sewer extensions.
- Franklin County Fleet Management manages two facilities that serve county agencies.
- Franklin County Public Facilities Management oversees construction of buildings and management of parking lots.
- MORPC coordinates regional planning and working groups' objectives with the Franklin County stormwater management program.

The table of organization (Appendix A), required by the MS4 NPDES Stormwater permit, outlines more specifically the individuals, positions, and organization responsibilities in relation to the Unincorporated Franklin County Stormwater Management Program.

Limitations of the SWMP Plan

The activities outlined in this plan guide the County Stormwater Partnership toward implementing a comprehensive program that not only meets the minimum permit requirements but also results in improvements to water quality within unincorporated Franklin County. As county resources are limited, there may be times where the minimum requirements are met but the activities as outlined in this plan are not fully addressed.

The audience for this plan is elected officials, township and county agency staff, Ohio EPA, and the general public. Whenever possible the language and format of the plan is written for a broad audience. To understand the specifics of the MS4 storm water general permit, interested parties will need to read the most current general permit that can be located on Ohio EPA's website.

3. Development of the SWMP

The original SWMP was developed in 2003 with NPDES Permit # OHQ100000. This process started with county and township working groups facilitated by FSWCD and FCDE.

The process led to a working group involving all townships, county agencies and stakeholders. This working group developed recommendations for each minimum measure. A stormwater management program was then developed by an executive committee consisting of representatives from each of the partnership agencies and a township representative. This stormwater program coordinated the efforts of the stormwater partners, through 2008.

In 2009, the County Stormwater Partnership decided to use a similar process to revise the stormwater management program plan to comply with the new permit regulations. Again, all partnership agencies came together and divided into working groups related to the six minimum measures with a total of 28 staff participating. The comments for each group were then used, along with expertise from county agencies, to draft the SWMP plan.

The third generation of the permit came into effect in 2014. It clarified the intent of the permit related to permittees taking TMDLs into account when determining BMPs. The Stormwater Partnership decided to appoint two members from FCDE and FSWCD to evaluate how well-established program BMPs matched with established TMDLs. A survey created by FSWCD was distributed to the townships to include their input when determining the stormwater problems in Franklin County. The townships selected the following sources as contributing the most to the impairment of water quality:

- Runoff from industrial areas
- Development practices
- Litter and loose trash and dumping
- Aerator treatment systems
- Leaves raked into streets

These results were taken in consideration when evaluating the themes and BMPs of the SWMP. Finding that the established BMPs were already well matched with the established TMDLs, the Stormwater Partnership decided that only minor SWMP revisions and updates were needed.

The fourth generation of the permit was released in 2021 with further clarification on TMDL focused activities. The SWMP was updated with minor revisions to accommodate new permit requirements with input from members of the County Stormwater Partnership.

4. Community Description

Due to the dispersed nature of incorporated areas in Franklin County and the fact that watersheds and streams connect the incorporated and unincorporated lands, the community description will focus on the entire county. Ohio water quality standards, watershed plans and reports and community statistics are the basis for identifying BMPs, target audiences, targeted pollution sources and planned activities for the County's Stormwater Management Program.

Franklin County is one of Ohio's 88 counties and is centrally located in Ohio at the intersection of north/south interstate 71 and east/west interstate 70. It is home to Columbus, the most populous city and capital of the state. According to January 2021 estimates made available by the Mid-Ohio Regional Planning Commission, Franklin County is comprised of an estimated 1,326,780 residents.¹ Of this population, 93.3% live in cities and incorporated villages of Franklin County and the remaining 6.7% of the population, or 89,116 people, live in

¹ <u>https://www.morpc.org/tool-resource/mid-ohio-open-data/</u>

unincorporated areas of the county. A portion of those live in the urbanized area covered by this SWMP.

Franklin County is diverse in its development ranging from the densely populated urban core to the rural sections on the western, southern, and northeastern sections of the county. The Big Darby Creek is a state and national scenic river in the County and has commanded special attention. In 2000, there was a development restriction placed within lands of the Darby Watershed, and the Darby Accord was formed through participation of jurisdictions in the watershed. The resulting product was the Big Darby Watershed Master Plan developed in 2006 and adopted by all communities in 2008. The plan provides a framework for managing, development, and protecting the unique natural resources and water quality in the Big Darby Creek watershed.

Franklin County encompasses 543.9 square miles, with unincorporated Franklin County comprising 187 square miles and 46 square miles being both unincorporated and in the urbanized area covered by the permit. Unincorporated Franklin County contains the following ten primary watersheds and associated creeks and rivers comprising 177.5 miles of perennial streams:

- Alum Creek
- Big Darby Creek
- Big Walnut Creek
- Blacklick Creek
- Hellbranch Run
- Little Darby Creek
- Olentangy River
- Rocky Fork Creek
- Scioto River
- Walnut Creek.

In addition to the Big Darby Creek, the Little Darby Creek, the Olentangy River, and the Big Walnut Creek are of particular significance. The first two of these have sections designated as state scenic rivers and all of them have reaches in Franklin County that are designated as excellent warmwater habitat. The Darby Creek system is widely regarded as one of the most valuable natural resources in central Ohio and beyond, known for its biodiversity generally and its mussel populations in particular. The Big Walnut is the gem of the eastside of Franklin County, with nearly 15 miles of exceptional warmwater habitat and significant populations of freshwater mussels. An additional estimated 402 miles of headwater streams and tributaries contribute to the perennial streams as measured in the Franklin County Stream Geodatabase where surface and subsurface drainage are digitally mapped and characterized for Franklin County

Managing water quality in our streams and rivers is important to drinking water, recreation and public health. Today, three surface reservoirs provide 85% of the more than 130 million gallons of water used daily. The remaining 15% is drawn from well fields in southern Franklin County². The Scioto River and Big Walnut Creek serve as sources of drinking water. The Scioto River begins as a small creek about 80 miles north in Hardin County, northwest of Kenton, Ohio. Rolling through woods and farmlands, this river remains a main water source for Columbus. The Griggs and O'Shaughnessy Reservoirs, located on the Scioto River, have a combined storage capacity of 6.2 billion gallons, holding only a small percentage of the water that flows through Columbus, and providing water for downtown, west and northwest Franklin County. Family picnics, fishing, boating

² Columbus Public Utilities: Water Sources https://www.columbus.gov/utilities/water-protection/Water-Sources/ (accessed December 2016)

and waterskiing in the recreation area surrounding and including both reservoirs are enjoyed by thousands every summer. Big Walnut Creek forms about 20 miles northeast of Columbus and feeds Hoover Reservoir. This reservoir can hold 20.8 billion gallons of water; it supplies water for the entire northeast portion of Franklin County and provides a beautiful recreation area for boating and fishing. In the late 1960s, it became apparent that an additional water supply would be needed.

A study of southern Franklin County found a large underground water supply between the Scioto River and Big Walnut Creek. The large Ranney Collector Wells range from 68 to 109 feet deep with laterals totaling more than 6,000 feet reaching into the aquifer. These wells supply an average of 20 million gallons of water daily to residents in southern Franklin County. The southern portion of Franklin County relies on ground water as its drinking water source and has established a source water protection area to conserve this resource.

Recreation on Franklin County streams and rivers includes fishing, kayaking, canoeing, biking, birding, and hiking. In 2021, 18,275 fishing licenses were sold and 41,006 boats were registered in Franklin County.^{3,4}

Under the Clean Water Act, every state must adopt water quality standards to protect, maintain and improve the quality of the nation's waters. Water quality standards are related to ambient standards (in- stream water quality) as opposed to end of pipe or discharge standards. Ambient standards are determined by calculating what the streams water pollution assimilative capacity is through procedures known as Total Maximum Daily Loads (TMDLs) or waste load allocations. These loads or allocations regulate the discharge of pollutants into surface waters under the National Pollutant Discharge Elimination System (NPDES) permit program. Water quality standards have three major categories which are: (1) Beneficial Use Standards, (2) Numeric Water Quality Criteria and (3) Antidegradation.

In Franklin County, the major creeks and rivers (i.e., the Big and Little Darby Creeks, the Scioto River, the Olentangy River, Alum Creek, and Big Walnut Creek) are in generally good condition. In contrast to the larger rivers and streams, the water quality of the majority of smaller waterways is largely degraded.⁴ Watersheds that have stream segments in non-attainment with Ohio water quality standards are listed by Ohio EPA as impaired waters. The TMDL program, established under Section 303(d) of the Clean Water Act (33 U.S.C. 1313), focuses on identifying and restoring polluted rivers, streams, lakes and other surface water bodies. A TMDL is a written, quantitative assessment of water quality problems in a water body and contributing sources of pollution. It specifies the amount a pollutant needs to be reduced to in order to meet water quality standards (WQS), allocates pollutant load reductions, and provides the basis for taking actions needed to restore a waterbody. Watersheds in Franklin County with a completed TMDL include Big Walnut, Walnut, Big Darby and Olentangy River watersheds. The primary TMDLs from these four watersheds are bacteria, sediment, habitat, nutrients.

Franklin Soil and Water Conservation District and the Mid-Ohio Regional Planning Commission continue to support the watershed plans and accords that are in place and designed to protect our streams. They have also supported the balanced growth plans that have been developed for Franklin County and Central Ohio. In addition, they are committed to developing new plans for watersheds as time, resources, opportunities and necessities arise. The planning documents are not binding, but give direction to communities, individuals and agencies interested in taking actions that would

³ https://ohiodnr.gov/static/documents/wildlife/historic-licenses/2020-2021+Sales+By+County.pdf

⁴ <u>https://ohiodnr.gov/business-and-industry/services-to-business-industry/data-records/ohio-boating-registrations</u>

⁴ Central Scioto Water Quality Management Plan, Ohio Environmental Protection Agency, 2002

protect and improve water quality in the County's waterways. In addition to balanced growth plans, other documents of interest include the Darby Accord, the Blacklick Rocky Fork Accord and the Olentangy River overly.

Causes of impairment in the HUC 12s in Franklin County cover the gamut, including nutrients, habitat, pathogens, suspended solids, hydrology and toxicity from urban runoff. Of the 24 HUC 12s in the county, 12 were identified as having nutrient issues, 11 with habitat problems, 10 with excessive pathogens, 9 with issues with suspended solid, sediment and/or flow, and 1 with toxicity from urban runoff (see Table 1). Individuals BMPs can address multiple causes of impairment, even as single themes can cover more than one problem.

WATER SHED	HUC12	NUTRIENT	HABITAT	HYDROLOGY	BACTERIA	SEDIMENT	TOXICITY
Big Darby Creek	Gay Run-Big Darby Creek	Х		Х			
Big Darby Creek	Greenbrier Creek-Big Darby Creek	Х	Х	Х		Х	
Big Darby Creek	Hellbranch Run	Х	Х	Х	Х	Х	
Big Darby Creek	Silver Ditch-Big Darby Creek	Х		Х			
Big Darby Creek	Thomas Ditch-Little Darby Creek	Х	Х	Х		Х	
Big Darby Creek	Worthington Ditch-Big Darby Creek	Х	Х	Х			
Big Walnut Creek	Bliss Run-Alum Creek		Х		Х	Х	
Big Walnut Creek	Bliss Run-Alum Creek - West Spring Run		Х	Х			
Big Walnut Creek	City of Gahanna-Big Walnut Creek				Х		
Big Walnut Creek	City of Gahanna-Big Walnut Creek - McKenna	Х				Х	
Big Walnut Creek	Headwaters Blacklick Creek	Х			Х		
Big Walnut Creek	Headwaters Blacklick Creek - French Run					Х	
Big Walnut Creek	Mason Run-Big Walnut Cr.		Х			Х	
Big Walnut Creek	Mason Run-Big Walnut Cr Trib. RM 27.29		Х	Х			
Big Walnut Creek	Rocky Fork Creek	Х			Х		
Big Walnut Creek	Rocky Fork Creek - Rose Run		Х				
Big Walnut Creek	Town of Brice-Blacklick Creek	Х			Х		
Big Walnut Creek	Town of Lockbourne-Alum Creek						
Big Walnut Creek	Westerville Reservoir-Alum Creek		Х		Х		
Olentangy River	Mouth Olentangy River	Х				Х	
Olentangy River	Rush Run-Olentangy River	Х				Х	
Walnut Creek	Big Run-Walnut Creek		Х	Х	Х	Х	
Walnut Creek	Georges Creek				Х		Х
Walnut Creek	Tussing Ditch-Walnut Creek						
	TOTALS	12	11	9	9	10	1

For unincorporated, urbanized areas of Franklin County, the causes of impairment to water quality includes:

- 1) Nutrients from fertilizers, failing HSTSs, and dumping of yard waste into stream corridors
- 2) Changes in habitat and hydrology due to increased impervious services and stream modifications that result in stream erosion, warmer water temperatures, reduction in ground water recharge and flooding downstream.
- 3) Bacteria from failing HSTSs, resulting in public nuisance and potential health concerns from recreational exposure in some waterways.
- 4) Sediment from construction sites, and stream bank and bed erosion
- 5) Toxic urban runoff such as solid, hazardous, or infectious waste, chemicals, paints, solvents, cooking oils/grease, and waste materials from various industrial sources (dry cleaning chemicals, waste cement, etc.) illegally dumped into the MS4.

The combined impacts of the TMDL pollutants above result in increased drinking water treatment costs, loss of fish populations, possible public health concerns, increased algae blooms, loss of property from erosion along streams, and flooding of downstream properties. Water quality is also impacted by agricultural and urban activities upstream from Franklin County.

Challenges facing stormwater management in unincorporated Franklin County include pockets of older communities with failing septic systems due to either the age of the systems and/or theinability of the soils to manage such systems. Remaining undeveloped land has a high presence of hydric soils (soils that formed under conditions of saturation, flooding, or ponding). These areas are more likely to pose problems for infiltration of septic systems, result in future drainage complaints, and are more likely to contain wetlands. A potential wetlands layer has been developed by Franklin Soil and Water Conservation District for Franklin County to better identify wetland conservation opportunities.

5. Conclusion

Addressing stormwater issues is crucial to the present and long-term protection of the streams in Franklin County. The Franklin County and Township Stormwater Partnership is committed to developing and implementing an effective Stormwater Management Program that meets the Ohio's small MS4 Stormwater Permit. This program benefits from a multi-agency and local government partnership. The County Stormwater Partnership will allow for consistent stormwater management over the full extent of the county and efficiently utilize limited local resources by reducing duplication of efforts and pooling available resources.

The Program

This Stormwater Management Program is organized by Minimum Control Measures (MCMs). The SWMP includes best management practices (BMPs), measurable goals, rationale, decision process, responsible parties, time schedules, a statement of opinion about the legal authority to implement the BMP, and other appropriate information. This section is designed to correspond with annual reporting forms provided by Ohio EPA.

1. Public Education and Outreach

A. Introduction

The first minimum control measure (MCM) requires Franklin County and its townships to distribute educational materials or provide equivalent outreach activities to the community about the impacts of stormwater discharges including the steps the public can take to reduce pollutants in stormwater runoff. An informed and knowledgeable community is important to a successful stormwater program. This lays the foundation for community participation in responsible land management, compliance with local and state regulations, resolution of failing HSTS impacts and support for community projects and programs needed for a successful stormwater program.

Benefits to Franklin County and the townships include a successful stormwater program, increased pride in the community, and the recognition of Franklin County and the townships as responsible communities and great places to live.

Summarized Requirements from Ohio EPA Permit:

- Develop a plan to inform individuals and households about the steps they can take to reduce stormwater pollution including measurable goals, target audiences, target pollutants, and outreach strategy. Five different stormwater themes or messages need to be utilized over the permit term, targeting each TMDL pollutant at least once within the five themes. One of the five messages will be targeted at the development community.
- Develop a rationale for target areas and pollutants that will make the greatest difference for stormwater quality.
- Utilize at least 2 mechanisms (e.g., printed brochures, newspapers, media, workshops, etc.) to reach target audiences. At least 50 percent of the population needs to be reached over the permit term.
- Evaluate the success of this minimum measure, including how you selected the measurable goals for each of the BMPs.

B. Decision Process

Water Quality and TMDL information were reviewed and best management practices identified based on known water quality issues in the county. Additionally, existing programs, agency capabilities, and our strength in partnerships is leveraged when developing activities. Several outreach programs are designed to expand to the greater Columbus area so that we have multiple opportunities to communicate to residents and businesses with similar messaging on multiple occasions through different sources and media.

The partnership in Franklin County provides some unique opportunities to provide education and outreach opportunities to unincorporated Franklin County residents. The nature of township governance allows for more direct communication with residents. Sixteen of seventeen townships have a web site where stormwater information could be published and twelve townships publish a newsletter that reaches the majority of their residents. Reaching out to the development community is being achieved by Franklin County EDP and FSWCD. The development community in Franklin County is also reached through *The Urban Review* newsletter distributed quarterly by FSWCD. Additionally, MORPC and FSWCD staff liaises with the Central Ohio Building Industries Association (BIA) Green Committee to further develop relationships with the construction /development community. Additional participation and awareness involving the development community will be provided by the seven townships that have their own zoning departments.

Local elected officials, municipal and township employees, community leaders, and interested residents have several other opportunities throughout the year to meet for surface and stormwater education, outreach, and networking. MORPC facilitates several workgroups for central Ohio, including Central Ohio Greenways, Sustaining Scioto Workgroup, and Big Darby Accord Open Space Advisory Committee. MORPC also holds an annual Summit on Sustainability and the Environment which engages community leaders and stakeholders in depth on a variety of topics. FSWCD hosts several web seminars throughout the year offered by the Center for Watershed Protection, and the National Association of Soil and Water Conservation Districts on stormwater issues. FSWCD facilitates the Central Ohio Stormwater Roundtable which meets quarterly for education and networking, Additionally, Franklin Soil and Water manages the *Community Backyards, Gardening for Clean Water*, and *Terrific Resources in Environmental Education ("TREE")* programs. Both MORPC and FSWCD coordinate with and provide support to local watershed groups.

C. Best Management Practices

The following BMPs will be used for public education and outreach:

- i. Educational Information and Outreach to Township Residents.
- ii. Targeted Public Outreach Programs
- iii. Educational Information and Outreach to Franklin County Residents, Agencies, and Elected Officials.
- iv. Educational Information and Outreach to the Development Community
- v. Educational Programming and Outreach to Students and Teachers

D. Themes

Franklin County will address at least five different education themes during the duration of this permit. The themes will target existing TMDLs and potential community pollution sources as defined under community description on page 9.

Stormwater Program Themes:

- i. **Trash & Illegal Dumping (T&ID)** will focus on stormwater pollution prevention opportunities for businesses and residents. This will incorporate proper use of lawn and garden chemicals, yard waste disposal, pet waste disposal, hazardous waste disposal, recycling opportunities, how to report illegal dumping, and stream clean-ups. This will address nutrients, bacteria, and urban runoff pollution.
- ii. **Streamside Buffers (SB)** will focus on protecting and establishing stream buffers through plantings and education. This will address habitat, hydrology, sediment, and nutrients.
- iii. Backyard Conservation & Landscape Maintenance (BC&LM) will focus on the use of

composting, rain barrels, rain gardens, native vegetation, and trees to capture stormwater, prevent erosion, and protect stream corridors on residential properties. This will address habitat, hydrology, sediment, nutrients, and urban runoff.

- iv. **Green Infrastructure & Better Site Design (GI&BSD)** will target the development community and focus on how to properly manage construction projects from planning through post-construction maintenance for better water quality, infiltration, and regulation compliance. This will address sediment, nutrients, bacteria, hydrology, and habitat.
- v. **Managing your Home Sewage Treatment System (HSTS)** will focus on educating home owners on the responsibilities and proper management of an on-site sewage treatment system. This will keep nutrients, bacteria and pathogens from contaminating the water.

E. Target Audiences

- i. **Residents of townships** are targeted for improvements to general urban runoff pollution.
- ii. **Commercial and industrial businesses** are targeted for improvements in urban runoff pollution and stormwater retention and infiltration.
- iii. **Landowners** are targeted for implementation of conservation implementation that can improve urban runoff and stormwater. Specific landowner audiences that may receive particular attention include:
 - a. Stream side landowners
 - b. Homeowners with HSTS systems
 - c. Landowners considering improvements to their property
 - d. Landowners interested in conservation practices
- iv. **Development community** is targeted to reduce impacts to water quality from developing lands.
- v. Students and Youth are targeted because they are the future landowners and decision makers.
- vi. **Community groups** are targeted for their ability to reach a larger audience of residents, landowners and businesses and include:
 - a. Watershed groups
 - b. Environmental groups
 - c. Homeowner associations
 - d. Civic associations
 - e. Water Quality Partnership areas
 - f. Scout Troops

F. Responsible Party and Legal Authority

FSWCD will provide guidance and assistance with educational materials and presentations to assist the county and 17 townships with compliance. An employee designated by each township will be responsible for the overall management and implementation of the stormwater public education and outreach program in their township. These activities are well within the authority and ability of the county and townships, in partnership with FSWCD.

I

BMP	Measurable Goal	Themes	Target Audience	Estimated Audience Reached	Summary of Planned Activities	Proposed Schedule & Responsible Party	TMDL
	a. Townships with a newsletter will publish one theme-specific educational article in a township newsletter_each year. Township stormwater contact may choose theme to fit with township's greatest need as long as five are covered during permit period.	all		44,558 (50% of) households in townships annually	 i. Each township will publish a stormwater education news article to be disseminated to all township residents once per year through newsletter, or web site if no newsletter. ii. Townships will post the article on their township web site if available. iii. In the one township with neither newsletter nor website, other avenues will be considered. 	Annually Township Designated Staff FSWCD Communications Specialist	
1) Educational Information and Outreach to Township Residents	b. Townships with a web presence will have a page or document on their web site on the impacts of stormwater discharges on water bodies and the steps the public can take to reduce pollutants in stormwater runoff.	all	Township residents	2,673 residents (3% of township residents) (17 out of 18 townships and the Village of Lockbourne have websites) annually	 i. Website development and maintenance is an educational tool used by townships. ii. FSWCD has stormwater impacts pages. Some townships have stormwater impacts pages already. iii. Stormwater information will be made available on all partner websites. This activity will be documented and retained for annual reporting. 	Annually Township Designated Staff FSWCD Communications Specialist	Bacteria, nutrients, sediment
	c. Stormwater Program outreach to township residents and employees.	all		< 1% of residents	 i. Develop stormwater educational information for brochures and websites. ii. Distribute and promote information at community events, meetings, and/or at the township office. 	Annually Township Designated Staff FSWCD Communications Specialist FCPH Staff	

BMP	Measurable Goal	Themes	Target Audience	Estimated Audience Reached	Summary of Planned Activities	Proposed Schedule & Responsible Party	TMDL
	a. Provide targeted programming to homeowners, gardeners, and dog owners on what they can do to influence water quality	all	Township residents	Approximately 250 residents (<1%)	 Backyard Conservation, Rain Gardens, and Lawncare Programs Provide workshops with materials on the benefits of rain gardens, rain barrels, composting, native plants and trees, and lawn care practices. Highlight backyard conservation rebate program, rain garden cost-share, and annual FSWCD tree sale. Rain garden and native plant educational displays at local nurseries and garden centers. Develop flyers to promote lawncare best management practices for homeowners and work with lawn care companies to promote. 	Annually FSWCD Communications Specialist	Bacteria, nutrients, sediment
2) Targeted Public Outreach	on their property.		10 (<: Va on (cc	Approximately 100 pet owners (<1%)	Dog Waste Program ''Pick Up Poop'' i. Promote dog waste "Pick Up Poop" campaign to residents with information on the impact of pet waste on water quality ii. Provide education online and via social media.	Annually FSWCD Communications Specialist	
Programs				Varies depending on the year (corresponds with DWS schedule)	Dry Weather Screening Mailer i. Provide educational information to landowners adjacent to outfalls to be dry weather screened on what homeowners can do to influence water quality on their property.	Annually FSWCD Communications Specialist	
	b. Provide education to business owners and employees on pollution prevention and water quality issues.	T&ID BC&LM	Township Business Owners and Employee s	Approximately 700 businesses	Water Quality Partnership i. Provide mailer with information on Water Quality Partnership and steps businesses can take to prevent pollution and protect waterways. ii. Promote the pollution prevention pledge and recognition for businesses that join the program.	Annually FSWCD Communications Specialist	Bacteria, nutrients, sediment
	c. Increase homeowner awareness and knowledge of how to properly care for discharging HSTSs and report failing HSTSs.	HSTS	Township Residents	Approximately 3,000 households	HSTS Mailer i. Distribute an educational flier to all owners of discharging HSTSs that explains how to maintain their own discharging HSTS and how to report a failing HSTS.	Annually FCPH	Bacteria, nutrients

BMP	Measurable Goal	Theme s	Target Audience	Estimated Audience Reached	Summary of Planned Activities	Proposed Schedule Responsible Party	TMDL
	a. Conservation newsletters, <i>Frankly Speaking</i> and <i>Backyard</i> <i>Conversation</i> , distributed to over 4,000 interested Franklin County residents, and to special populations including developers, consultants, and contractors.	all	Franklin County residents	4,000 subscribers annually (<1% FC residents)	i. <i>Frankly Speaking</i> newsletter will continue to be distributed to all individuals expressing an interest in receiving conservation updates. ii. <i>Backyard Conversation</i> e-newsletters will continue to be distributed to interested individuals on a monthly basis.	Semi Quarterly FSWCD Communications Specialist	Bacteria, nutrients, sediment
3)	b. Social media will be used to provide information and updates to interested residents, stakeholders and partners.	T&ID BC&L M HSTS	Franklin County residents, elected officials, and conservation professionals	At least 500 people annually (<1% of FC residents)	 i. Social media will continue to be used to distribute updates and information by FSWCD and MORPC at least monthly. ii. Documentation of occurrences, target audience, and contact numbers will be retained for annual reporting. 	Monthly FSWCD Communications Specialist MORPC Outreach Specialist	Bacteria, nutrients, sediment
Educational Information and Outreach to Franklin County Residents, Agencies, and Elected Officials	c. Four or more press releases per year will be distributed to the media on a timely stormwater related topic for the purposes of public education and involvement.	T&ID BC&L M HSTS	Franklin County residents, elected officials, and conservation professionals	From 11,425 to 70,640 (% of population living in County times the number of estimated people to be receiving the Columbus Dispatch	 i. Press releases will be distributed widely not only to the media but also to stakeholders and employees. ii. Documentation of press releases, including resulting press by the media, target audience, and contact numbers will be retained for annual reporting purposes. 	Quarterly FSWCD Communications Specialist	Bacteria, nutrients, sediment
	d. Promote stormwater management themes within County Commissioner Agencies.	All	Franklin County Agencies	<1% Franklin County employees annually	i. Advertise existing outreach and education programs to staff within the County Agencies.	Annually FSWCD Communication Specialist	Bacteria, nutrients, sediment

ВМР	Measurable Goal	Themes	Target Audience	Estimated Audience Reached	Summary of Planned Activities	Proposed Schedule & Responsible Party	TMDL
4) Educational Information and Outreach to the Development Community	a. Reach out to design, construction, development, and regulatory community through newsletters, webinars and workshops that provide education on TMDL topics and the proper installation and maintenance of stormwater controls.	GI&BSD	Development and local government professionals	733 (100% of) known professionals in unincorporated FC	 i. Developing lands newsletter "The Urban Review" will continue to be distributed to all parties engaged in development in unincorporated Franklin County approximately three times each year. ii. Provide access to webinars (Center for Watershed Protection, etc.) and workshops (Central Ohio Stormwater Roundtables, etc.) 	Semi Quarterly FSWCD Urban Conservation	Bacteria, nutrients, sediment
			K-12 Students	5% of students (1,000 out of 20,000)	i. Provide targeted stormwater education programming in coordination with state curriculum standards for students K-12 attending schools in unincorporated Franklin County.	Annually FSWCD Education Specialist	
5) Educational Programming and Outreach to Students and Teachers	a. Provide programming to all schools in unincorporated Franklin County.	T&ID BC&LM	Educators	300 teachers per year	 i. With central Ohio partner organizations including Soil and Water Districts in contiguous counties, COSI, and Metro Parks, FSWCD has facilitated an annual series of workshops for both formal and non-formal teachers. ii. Advertise available resources and programs for stormwater education through education newsletter. iii. Loan out education kits, displays and materials for use by environmental educators. iv. Documentation of occurrences, target audience, and contact numbers will be retained for annual reporting. 	Annually FSWCD Education Specialist	Bacteria, nutrients, sediment

2. Public Participation and Involvement

A. Introduction

This minimum measure requires Franklin County to engage the public for input and involvement in the county stormwater management program (SWMP) and the county illicit discharge detection and elimination (IDDE) plan. Public participation and involvement follows good public education and outreach to ensure compliance with local and state regulations, resolution of failing HSTS impacts and support for community projects and programs needed for a successful stormwater program. The anticipated results are broader public support, improvements to the program plan and implementation, shorter implementation schedules, additional resources, and greater benefits to water quality in the county.

Benefits to the county include identification of resources and opportunities outside of existing county operations. Participation supports the county's tradition of serving the community.

Summarized Requirements from Ohio EPA Permit:

- Comply with state and local public notice requirements.
- Describe public involvement opportunities in developing and implementing your stormwater management program.
- Describe target audiences for public involvement including residents, businesses, landowners, educational organizations, and community groups.
- Five public involvement activities over the permit term, targeting each TMDL pollutant at least once within the five activities.

B. Decision Process

To address this minimum control measure, the townships of Franklin County will engage in a stormwater management program that allows for and encourages community participation. In order to involve the community effectively, local elected officials' leadership and support will continue to be important. For example, township trustees who often have close ties with residents need to understand the need for and support the implementation of the stormwater program. For successful program implementation, local elected official engagement and cooperation will be integral to effective public participation.

After the first draft of the stormwater management program is developed, it will be made available to stakeholders for their comment and review. Stakeholders are identified as residents, businesses, landowners, educational organizations, and community groups, especially watershed groups. Stakeholder input will assist in further development of activities and targets. Once the program has had an opportunity for public comment, comments received will be recorded and addressed. All township trustee meetings comply with Ohio public notice and open records laws.

As required by Stormwater Regulations and as a logical progression of the County SWMP specific focus areas for public involvement will include businesses, developers and communities impacted by HSTSs. HSTS education will include focused presentations to affected communities on the IDDE plan under development. This plan will include the identification of geographic areas of pollution discharge that present risks to public health, a prioritization of these locations, a timeframe and methods for eliminating these risks, and opportunities for public input and comment. Individuals with failing HSTS will be actively involved with FCPH in connecting to sanitary sewer or upgrading failing systems.

Participation and involvement opportunities include:

- i. Regular township trustee meetings that are open to and attended by residents.
- ii. Township open house, picnic, harvest homecoming, etc. as available.
- iii. Involvement of youth groups including after-school clubs, scouting organizations, or religious fellowship groups in watershed activities.
- iv. Involvement of adult civic or religious organizations in watershed activities.
- v. Notices in township newsletters and / or websites seeking comment on NOI and SWMP.

C. Best Management Practices

The following BMPs will be used for public involvement and participation:

- i. Opportunity for Public Input
- ii. Resident Participation in Stormwater Program
- iii. Stormwater Commitments
- iv. Regional Forums and Watershed Collaboration

D. Themes

Franklin County will address at least five different education themes during the duration of this permit. The themes will target existing TMDLs and potential community pollution sources as defined under community description on page 9.

Stormwater Program Themes:

- i. **Trash & Illegal Dumping** (**T&ID**) will focus on stormwater pollution prevention opportunities for businesses and residents. This will incorporate proper use of lawn and garden chemicals, yard waste disposal, pet waste disposal, hazardous waste disposal, recycling opportunities how to report illegal dumping, and stream clean-ups. This will address nutrients, bacteria, and urban runoff pollution.
- ii. **Streamside Buffers (SB)** will focus on protecting and establishing stream buffers through plantings and education. This will address habitat, hydrology, sediment, and nutrients.
- iii. **Backyard Conservation & Landscape Maintenance (BC&LM)** will focus on the use of composting, rain barrels, rain gardens, native vegetation, and trees to capture stormwater, prevent erosion, and protect stream corridors on residential properties. This will address habitat, hydrology, sediment, nutrients, and urban runoff.
- iv. **Green Infrastructure & Better Site Design (GI&BSD)**, will target the development community and focus on how to properly manage construction projects from planning through post-construction maintenance for better water quality, infiltration, and regulation compliance. This will address sediment, nutrients, bacteria, hydrology, and habitat.
- v. **Managing your Home Sewage Treatment System (HSTS)** will focus on educating home owners on the responsibilities and proper management of an on-site sewage treatment system. This will keep nutrients, bacteria and pathogens from contaminating the water.

E. Target Audiences

- i. **Residents of townships** are targeted for improvements to general urban runoff pollution.
- ii. **Commercial and industrial businesses** are targeted for improvements in urban runoff pollution and stormwater retention and infiltration.
- iii. **Landowners** are targeted for implementation of conservation implementation that can improve urban runoff and stormwater. Specific landowner audiences that may receive particular attention include:
 - a. Stream side landowners

- b. Homeowners with HSTS systems
- c. Landowners considering improvements to their property
- d. Landowners interested in conservation practices
- iv. **Development community** is targeted to reduce impacts to water quality from developing lands.
- v. Students and Youth are targeted because they are the future landowners and decision makers.
- vi. **Community groups** are targeted for their ability to reach a larger audience of residents, landowners and businesses and include:
 - a. Watershed groups
 - b. Environmental groups
 - c. Homeowner associations
 - d. Civic associations
 - e. Water Quality Partnership areas
 - f. Scout Troops

F. Types of Public Involvement

- i. Participation by residents and community representatives in stormwater activities and decisions through public meetings and open houses.
- ii. Updates and information provided at township trustee meetings.
- iii. Community projects and events including SWACO HHW collection days and locations, cost-share programs, stream clean-ups, storm drain stenciling, etc.
- iv. Facilitating and participating in regional forums and events that encourage discussion and shared learning among community leaders, stormwater professionals, and engaged residents.

G. Responsible Party and Legal Authority

FSWCD will provide guidance and assistance with educational materials and presentations to assist the county, 17 townships, and the Village of Lockbourne with compliance. An employee designated by each township will be responsible for the overall management and implementation of the stormwater public education and outreach program in their township. These activities are well within the authority and ability of the county and townships, in partnership with FSWCD.

BMP	Measurable Goal	Theme	Target audience	Estimated # Participating	Summary of Planned Activities	Proposed Schedule & Responsible Party	TMDL
	a. Allow for public input into the stormwater management program through township representation.		Residents and landowners through their township representatives.	One township representative on County Executive Committee	i. Township representation on County Executive Stormwater Committee planning meetings. ii. Communication to township trustees at a township association meeting.	Annually Township Designated Staff Once per Permit Term	
Opportunity for Public Input	b. Allow for public comment of stormwater management program.	All	All stakeholder groups including watershed groups, Sierra Club, Developers and Central Ohio Greenways.	100 visits to website based on previous year	i. Post link to SWMP on websites and in newsletters as applicable.ii. Request review from targeted stakeholder groups.	Ongoing Township Designated Staff FSWCD Communications Specialist FCDE Drainage Engineer	Bacteria, nutrients, sediment
	c. Put SWMP on trustee meeting agenda once each year.		Township trustees and residents	All township trustees and residents attending public meetings.	i. Trustees will put SWMP on their agenda and invite their representative or a representative from the County Stormwater Exec Committee member to provide update.	Annually Township Designated Staff FSWCD Staff FCPH Staff	
Resident Participation in Stormwater Program	a. Conduct community projects for stormwater management.	All	Township Residents Community Groups Commercial and industrial businesses	1 event per township over the permit term. 5% of township residents reached.	Community Events i. Each township will organize and participate in at least one event over the permit term. This can include public events to solicit comments for stormwater program or related regulation changes, advertising SWACO HHW collection days and locations, rain garden workshops and cost-share programs, stream clean- ups, and storm drain stenciling. (The same or similar events can be repeated over multiple years.) ii. Franklin Soil and Water will support at least one stormwater demonstration project within unincorporated Franklin County with public participation.	Annually Township Designated Representative Once per Permit Term FSWCD	Bacteria, nutrients, sediment

	b. Incentivize residents to implement conservation practices on their own properties.		Township Residents	100 residents installing conservation practices	Backyard Conservation Practices i. Provide incentives for resident installation of backyard conservation practices, including rain barrels, compost bins, native plants and trees through the Community Backyards program. ii. Provide incentives for the installation of a rain garden.	Annually FSWCD	
BMP	Measurable Goal	Theme	Target audience	Estimated # Participating	Summary of Planned Activities	Proposed Schedule & Responsible Party	TMDL
	a. Receive		Township Residents	Approximately 15 pledges per year	Get Grassy Lawn Care Program i. Promote "Get Grassy" lawn care campaign to unincorporated residents where they can receive a rain gauge and other tools for their pledge to adopt stormwater friendly lawn care practices.	Annually FSWCD Staff	
Stormwater Commitments	commitments from residents and businesses to practice behavior that supports stormwater program		Township Residents	Approximately 5 pledges per year	P.U.P. Dog Waste Program i. Promote "Pick Up Poop" dog waste campaign and provide free pet waste bags for residents who take the pledge to pick up poop.	Annually FSWCD Staff	Bacteria, nutrients, sediment
	goals.		Township Businesses	Approximately 5 pledges per year	Water Quality Partnership Program i. Promote Water Quality Partnership program to businesses in unincorporated Franklin County and provide public recognition to businesses that take the pledge to reduce stormwater pollution.	Annually FSWCD Staff	

BMP	Measurable Goal	Theme	Target audience	Estimated # Participating	Summary of Planned Activities	Proposed Schedule & Responsible Party	TMDL
	a. Participate in Central Ohio Watershed Council and encourage participation in common goals and support for existing watershed protection efforts	All	Watershed Groups	Attendees at COW council meetings.	i. Work with citizen volunteers to educate others in the community regarding stormwater.	Semi Quarterly FSWCD Watershed Coordinators	
Regional Forums and Watershed Collaboration	b. Organize regional forums and/or work groups to increase collaboration, feedback, and support for the purpose of involving the larger community in stormwater management.	All	Franklin County residents, businesses, and stakeholders	Audience dependent on event	 i. Continue facilitation of and participation of MORPC Summit on Sustainability and the Environment, MORPC- Sustaining Scioto Working Group, Central Ohio Greenways, and Central Ohio Stormwater Roundtable. ii. Progress, target audience, and participation of all events will be documented and retained for annual reporting. 	Monthly to Quarterly FSWCD Urban Conservationist	Bacteria, nutrients, sediment

3. Illicit Discharge Detection and Elimination

A. Introduction

This minimum measure requires Franklin County to implement and enforce a program to detect and eliminate illicit discharges and includes comprehensive mapping of the Municipal Separate Storm Sewer System (MS4). As defined by Environmental Protection Agency (EPA), an MS4 is: the conveyance or system of conveyances (including roads, catch basins, curbs, gutters, ditches, man-made channels, or storm drains) that is owned or operated by a public body, designed and used for collecting Stormwater, is not a combined sewer, and is not part of a Publicly Owned Treatment Works (POTW).

As defined by EPA, an illicit discharge is any discharge to an MS4 that is not composed entirely of stormwater except discharges authorized under an NPDES permit (other than the NPDES permit for discharges from the MS4) and discharges resulting from firefighting activities. Franklin County has not identified any of the following non-stormwater discharges as significant contributors of pollutants to our MS4 and as directed by the permit will not address them; waterline flushing, springs, water from crawl space and sump pumps, footer drains, landscape irrigation, lawn watering, diverted stream flows, rising ground waters, individual residential car washing, uncontaminated groundwater, foundation drains, uncontaminated pumped groundwater, air conditioning condensation, dechlorinated swimming pool waters, potable water sources, flow from riparian habitats and wetlands, street wash water, and discharges or flows from firefighting activities.

Addressing this minimum measure includes mapping, legal prohibition and enforcement of illicit discharges, and a plan to detect and address illicit discharges.

Identifying and actively addressing water quality issues at the local level supports the recognition of Franklin County as a "green" community, ensures that this remains a great place to live, and serves as a regional example for improving water quality for other counties and townships. This will address the TMDL issues of bacteria, nutrients, and toxicity in the County.

Summarized Requirements from Ohio EPA Permit:

- Develop, implement, and enforce a program to detect and eliminate illicit discharges into your small MS4.
- Complete a comprehensive storm sewer system map showing the location of all outfalls and the names and location of all surface waters of the State that receive discharges from those outfalls. The comprehensive storm sewer system map shall also include your MS4 system, including catch basins, pipes, ditches, flood control facilities (retention/detention ponds), post-construction water quality Best Management Practices (BMPs) (public and private), including type of practice (e.g. wet extended detention basin, bioretention, etc.). The map must be updated annually and as needed.
- Mapping must contain a list of all Household Sewage Treatment Systems (HSTSs) connected to discharge to your MS4. This map shall include details on the type and size of conduits/ditches

in your MS4 that receive discharges from HSTSs, as well as the water bodies receiving the discharges from your MS4.

- Prohibit, through ordinance, or other regulatory mechanism, illicit discharges into the storm sewer system and implement appropriate enforcement procedures and actions.
- Develop and implement a plan to detect and eliminate non-stormwater discharges, including illegal dumping, to your MS4.
- Identify residences with existing individual discharging HSTSs that can be legally, feasibly, and economically connected to sanitary sewers.
- Develop or enhance an operation and maintenance program which determines if existing HSTSs are operating as designed and intended and if not, then a program that requires elimination, upgrade or replacement of the systems.
- Investigate the source of contamination in outfalls identified during the dry weather screening process.
- Work with local wastewater authorities to evaluate the planned or possible future installation of sewers for areas, which contain high densities of discharging HSTSs.
- Inform public employees, businesses and the public of hazards associated with illegal discharges and improper disposal of waste.

B. Decision Process

The Franklin County Stormwater Program is part of a progressive effort to reduce the volume of and manage the pollution of stormwater that is conveyed to community streams during storm events.

While the entirety of unincorporated Franklin County is the focus of the Stormwater Management Program, the urbanized areas, as identified in the US Census, are the focus of the NPDES stormwater permit, thus making the minimum requirements of the NPDES permit a subset of the overall effort and direction of the Franklin County Stormwater Program.

The Franklin County Stormwater Partnership agencies have had significant success in documenting and mapping natural drainage features as well as constructed stormwater infrastructure throughout Franklin County. What started as hand drawings on paper maps has progressed to a comprehensive digital dataset that is managed with a GIS. This digital transformation has also evolved from multiple datasets on different computers to a multiuser environment that allows updates both from the office as well as from the field. As Franklin County continues to see growth and development, this dataset is frequently updated and shared with partners.

As a complement to the natural resource features and stormwater infrastructure that has been mapped, FCPH and FSWCD continue their partnership to maintain a current list of discharging HSTS and corresponding mapping of the systems. FCPH maintains a list of known discharging systems. New records are added to the database after systems are installed and records are removed from the database for systems that have been replaced by service to sanitary sewer or otherwise removed from service. On a yearly basis, the mapping of the HSTSs is updated to match the current records that FCPH maintains. This data is also made available and shared with partners to use as their needs dictate.

While the legal responsibilities of HSTSs lie with the owners of the systems and the legal authority for regulating these systems lies with Franklin County Public Health, the Franklin County Stormwater Partnership agencies continue working together to provide guidance and alternatives to

owners of malfunctioning or failing systems. In Franklin County, this issue also involves the local municipalities (including the City of Columbus) for long--term, sanitary sewer resolutions. Further understanding of the HSTSs management and viable options for addressing failing or malfunctioning HSTSs is available in a separate Illicit Discharge Detection and Elimination Plan available through Franklin County Public Health.

To this end, the core of MCM III efforts will be on maintaining a strong working relationship between Franklin Soil and Water Conservation District and Franklin County Public Health in the monitoring of the MS4, continued monitoring of HSTS, and working on resolving illicit discharge issues as they are identified. In addition, coordination with the Franklin County Sanitary Engineer and the Franklin County Engineer will remain crucial as comprehensive mapping is updated throughout the county to assist in tracing illicit discharge sources and identifying possible connections to sanitary sewer. All activities undertaken with this MCM that relate to HSTS and other sewage related issues help to address the TMDLs of bacteria and nutrients identified in the watersheds within Franklin County.

C. Summary of Planned Activities

The following describes how Franklin County plans to proceed with the requirements for NPDES permit:

- i. Continue to ensure public and county employee awareness on how to recognize and address illicit discharges of all types through public education and proper documentation and handling of illegal dumping and pollution complaints.
- ii. Continue the dry-weather-screening throughout each of the townships and incorporate findings into existing database.
- iii. Continue active investigations of HSTS. These investigations will include an evaluation of the systems as well as consideration of various options for resolving malfunctioning systems including:
 - a. Connecting all HSTS that are accessible or available to sanitary sewer;
 - b. Increasing financial resources for sanitary sewer extensions and maintenance and operation;
 - c. Improving jurisdictional cooperation on annexation issues;
 - d. Providing public notice, education, and participation;
 - e. Repairing, altering or replacing failed HSTS causing public health nuisances in unincorporated geographical areas or subdivisions without access to sanitary sewers to operate as designed and intended;
 - f. Requiring inspection, operation, and maintenance programs of HSTS; and

- g. Notify property owners with HSTS of NPDES requirements
- iv. Evaluate effectiveness of existing IDDE activities and update IDDE Plan, SWMP and program activities as necessary.

D. Responsible Party and Legal Authority

NON-HSTS DISCHARGES

For non-HSTS Discharges Section 551 of the Franklin County Zoning Resolution addresses nuisances including trash, toxic and hazardous materials. Enforcement through this avenue may be a lengthy process.

Alternatively, local law enforcement as defined in ORC 2935.03 can enforce ORC 6111 which states: no person shall recklessly cause pollution or place or cause to be placed any sewage, industrial waste, or other wastes in a location where they cause pollution to any waters of the state without a valid or unexpired permit issued by the director of the Ohio EPA. Grab samples may be taken by the OEPA, local law enforcement or other officials during the investigations of these crimes and have them analyzed for evidence. The authority is granted to local law enforcement to file charges on violators of ORC 6111 by the authority granted under ORC 2935.03. The Franklin County Assistant Prosecutor may also file an indictment in order to obtain convictions through the Franklin County Environmental Court. The penalty for these crimes is an unclassified misdemeanor. Historically, the Environmental Court judge has issued penalties to perform community service or to educate industry on the proper methods to dispose of hazardous chemicals and wastes. All fines collected from convictions are deposited in a special "clean-up" fund administered by the Environmental Court and a committee managed from Franklin County Public Health and used for public education and right-of-way illegal dumping clean-up.

HSTS ILLICIT DISCHARGES and PUBLIC HEALTH NUISANCES

Franklin County Public Health staff has the authority to enforce Franklin County Public Health Regulation 106, Ohio Administrative Code 3701-29 and Ohio Revised Code 3718.011 to meet the requirements of the Franklin County NPDES Phase II Permit in the area of Illicit Discharge Detection and Elimination. Franklin County Public Health has authority to regulate sewage treatment systems ("STS") under Revised Code Chapter 3718 and Franklin County Public Health Regulation 106, Ohio Administrative Code 3701-29.

When it is alleged or upon discovery that an HSTS is causing a public health nuisance as defined in R.C. 3718.011 and/or OAC 3701-29, then Public Health has the authority to investigate such complaints and allegations. Sanitarians are responsible for investigating all illicit discharges and sewage nuisances. The enforcement process is summarized below:

- Water Quality Program sanitarians will investigate and issue Notice of Violation(s) if a nuisance condition(s) is verified by observation and/or water testing of effluent as defined in ORC 3718.011 and OAC 3701-29;
- If compliance is not achieved through issuing Notice(s) of Violation, staff sanitarians will provide recommendations to the Board of Health requesting an Order from the Board of Health declaring the existing condition(s) a nuisance and ordering the owner/responsible party to abate such condition(s) which may include repair or alteration of the existing HSTS or installation of a new HSTS or if applicable, connecting to sanitary sewer;
- In addition, this Order will also allow staff sanitarians to refer this matter to the Franklin

County Prosecuting Attorney or Municipal Law Director for further legal action if compliance is not obtained through this Board of Health Order;

- A civil action will be filed in Franklin County Municipal Court, Environmental Division to seek injunctive relief and permanent injunction against the owner and/or responsible party and the real property where a violation is occurring;
- The court in which such an action is filed has jurisdiction to grant such relief upon showing evidence that the nuisance condition(s) exist on the real property and the defendant(s) named in the complaint is in violation of Revised Code and/or OAC 3701-29;
- Additional motions include contempt for which the penalty can be daily fines and/or jailtime for the defendant(s);
- Finally, accumulated daily fines can be reduced to a judgment and assessed against the real property. As a possible last remedy, the Board of Health may also authorize the prosecutor to file foreclosure against the property in order to collect the lien and force a sheriff sale of the property.

CONNECTION TO CENTRAL SANITARY SEWER

Public Health also possesses the authority to require that whenever a central sanitary sewerage system is determined to be available and accessible to a property, the household sewage treatment system shall be abandoned and the house sewer directly connected to the central sewerage system. This authority applies regardless of the manner by which the sanitary sewerage system was constructed. A similar process of enforcement will be followed as outlined above which may include issuing to the property owner Notice(s) of Violation, a Board of Health Order and filing for injunctive relief. There are many variables in the current state of the law regarding enforcement, including but not limited to: whether or not Public Health enforces its local regulation or the existing State rules); whether or not the Public Health order is appealable under ORC Chapter 2506 for enforcement System Appeals Board; and whether or not Public Health seeks injunctive relief under ORC section 3709.211 or ORC section 3718.10. Additional remedies are available when sanitary sewer is available and accessible. See ORC Chapter 6117 and NPDES Permit No. OHQ000004, Part III, B(3)(e)(i).

BMP	Measurable Goal	Summary of Planned Activities	Proposed Schedule and Responsible Party
Ordinance or Other Regulatory Mechanism	Use OAC 3701-29 (Sewage TreatmentSystem Rules) and ORC 3718.011 to eliminate illicit discharges in MS4s fromSewage Treatment Systems (STSs).	FCPH IDDE Program Sanitarians will continue to use OAC 3701-29, ORC 3718.011, and enforcement procedures outlined in the IDDE Plan, the updated Stormwater Management Plan, the Plan and Schedule and on the FCPH website.	Ongoing FCPH Water Quality Supervisor
	Continue to use identified state and local regulations to eliminate non-STSs illicit discharges to the MS4s.	Local law enforcement, township staff and other county agencies are encouraged and advised to investigate and document reports/complaints of non-STS illicit discharges to the MS4s and report such complaints to The Environmental CrimesTask Force of Central Ohio at http://www.itsacrime.org/. Consultation with the Franklin County Prosecutor's Office-Environmental Unit is also encouraged. FCPH will continue to track failing STSs complaints, investigations, enforcement, disposition, outcomes and	
		investigations, enforcement, disposition, outcomes and elimination of illicit discharges to the MS4s. In addition to working toward elimination of the illicit discharges listed in the annual report, the County is continuing to implement the Ohio EPA approved Plan and Schedule to investigate and eliminate illicit connections to the County's MS4 and comply with Consent Order paragraph 14(j).	
Storm Sewer System Map	Further development of a comprehensive storm sewer map (MS4) to the extent possible with available funding.	 i. FSWCD and FCDE will continue to develop the Storm Sewer map using acombination of field work, engineering drawings, and GIS software. ii. Show location of outfalls and names and location of surface waters receiving discharges from these outfalls. iii. Include catch basins, pipes, ditches, flood control facilities, post construction BMP's, private post- construction BMP's iv. Post-construction BMPs shall be identified by type of practice (e.g., wet extended detention basin, bioretention, etc.). 	 (i-iii) Ongoing FCDE Project Engineer FSWCD Geomatics Group Township Designated Staff (iv) To be completed by April 1, 2026 FCDE Project Manager FSWCD Geomatics Group Township Designated Staff

ВМР	Measurable Goal	Summary of Planned Activities	Proposed Schedule and Responsible Party
HSTS Mapping and List	Continue to refine and update records and GIS database identifying ATUs connected to and discharging to the MS4s.	FCPH staff will continue to verify ATUs connected to and discharging to MS4s. Any changes or additions will be added to the database. The HSTS map can be found at: <u>https://gis.franklincountyohio.gov/portal/home/web</u> <u>map/viewer.html?webmap=bc112446e9df4307b66</u> <u>lcfb63fa9c58a&extent=-83.812,39.6109,-</u> 82.1942,40.2836	Annually FCPH Water Quality Supervisor FSWCD Geomatics Group
IDDE Plan	An updateable plan that considers stormwater discharges and non- stormwater discharges.	Continue with the review and revision of the IDDE Plan, including but not limited to updating of procedures for the enforcement of failing STSs and eliminating illicit discharges. Continue to evaluate the effectiveness of the IDDE plan to ensure that identified illicit discharges are eliminated from the MS4s. FCPH will continue to track failing STSs complaints, investigations, enforcement, disposition, outcomes and elimination of illicit discharges to the MS4s.	Ongoing FCPH Water Quality Supervisor FSWCD and FCDE
Dry Weather Screening of Outfalls	Continue Dry Weather Screening locations observed the previous year with potential illicit discharges as well as approximately one-fifth of all county outfalls on a yearly basis so that all outfalls are screened within each permit period.	The program will continue Dry Weather Screening outfalls (public and private) to the County MS4 identified as the MS4 mapping effort continues as well as County MS4 outfalls to waters of the state.	Annually & Ongoing FSWCD Geomatics Group

I

ВМР	Measurable Goal	Summary of Planned Activities	Proposed Schedule and Responsible Party
FCPH HSTS Operation/ Maintenance Program (ATUs)	Continue to conduct observations/inspections of all discharging STSs (ATUs) through FCPH Operation/Maintenance Program.	FCPH Environmental Technicians will conduct operational observations of discharging ATUs in our Operation and Maintenance Program. ATUs that are not brought into compliance through observation reports to owners will be referred to IDDE program Sanitarians for investigation verification and enforcement to eliminate illicit discharges to the MS4s.	Ongoing FCPH Water Quality Supervisor
Failed HSTS Complaints from Sources Other than the ATU Operation/Maintena nce Program (Public, Gov't Agencies, Interoffice, etc.)	Continue to investigate all complaints or reports of possible failing STSs from all other sources outside the FCPH Operation and Maintenance Program.	FCPH IDDE Program Sanitarians will receive complaints or reports of possible failing STSs from other sources outside FCPH Operation and Maintenance Programs. IDDE Program Sanitarians will investigate, verify and use enforcement to eliminate illicit discharges to the MS4s.	Ongoing FCPH Water Quality Supervisor
Report Sanitary Sewage Discharges to Ohio EPA	Illicit sanitary sewer cross connections, or leaking or broken sanitary sewer lines actively contributing sewage to the MS4 will be reported to the Ohio EPA at cdo24hournpdes@epa.ohio.gov within 24 hours after detection	Report sanitary sewage discharges to the Ohio EPA within 24 hours after detection	Ongoing FCPH, FSWCD, FCDE, Township Designated Staff
Employee, Business and Resident Education	Employees, residents and business will know how to recognize and report stormwater pollution to Franklin County Public Health and Ohio EPA as appropriate.	 i. Educate residents on how to recognize and report pollution with information on county and township websites and through public education efforts. ii. Educate businesses on how to recognize and report pollution through the Water Quality Partner program described in MCM 1&2. iii. Educate employees on how to recognize and report pollution. 	Annually FSWCD Outreach Team and FSWCD Urban Team (i) and (ii) see MCMs 1&2 (iii) see MCMs 1, 2, & 6

4. Construction Site Stormwater Runoff Control

A. Introduction

This minimum control measure addresses management of stormwater runoff from construction activity that results in a land disturbance of one acre or greater. Stormwater runoff management addresses both how water is retained and released during and after stormwater events and how erosion is minimized through the use of site design techniques, the management of construction activity, and the use of erosion control practices until a site is stabilized with permanent vegetation. Sediment is one of the TMDLs for Franklin County. During a short period of time, uncontrolled construction sites can contribute more sediment to streams than would be deposited naturally during several decades.

During construction, the design and installation of long term stormwater management controls are also reviewed and inspected along with temporary erosion and sediment controls. These controls may use overlapping or separate Best Management Practices.

Benefits to Franklin County and townships include reduced erosion and sedimentation along waterways and ditches, improved quality of streams for recreation and fishing, and continued availability of a quality drinking water supply.

Requirements from Ohio EPA Permit:

- Develop an ordinance or other regulatory mechanism to require erosion and sediment controls, as well as sanctions to ensure compliance. The regulation will be equivalent with the technical requirements set forth in the Construction General Stormwater Permits.
- Require construction site operators to implement appropriate erosion and sediment control BMPs;
- Require construction site operators to control waste such as, but not limited to, discarded building materials, concrete truck washout, chemicals, litter, and sanitary waste at the construction site that may cause adverse impacts to water quality.
- Develop procedures for stormwater pollution prevention plan review which incorporate consideration of potential water quality impacts.
- Develop procedures for receipt and consideration of information submitted by the public.
- Develop procedures for site inspection and enforcement of control measures.

B. Decision Process

Franklin County has had an active construction site runoff control program since 1986. This program is coordinated and led under the authority of the Franklin County Economic Development and Planning (EDP) department with assistance from and coordination with FCEO, FSWCD, FCPH, and the townships. The Technical Review Committee reviews residential and commercial development plan proposals for compliance with the applicable Construction General Permit prior to Franklin County EDP issuing certificates of zoning compliance. Franklin Soil and Water Conservation District staff conducts site inspections in accordance with the applicable Construction General Permit requirements.

The Franklin County Stormwater Partnership will continue to enforce stormwater runoff controls on construction projects that disturb one acre or more of land. Reduction of pollutants in stormwater discharges from construction activity disturbing less than one acre shall be included if that construction activity is part of a larger common plan of development or sale that would disturb one acre or more.

TMDLs are targeted in the development of programs that support the Best Management Practices prescribed in this minimum measure. Ensuring proper controls on active construction sites with frequent site inspections and communications during planning will reduce sediment entering streams. By ensuring that proper long term controls for stormwater management are in place before and during construction, there will be a reduction in nutrients, bacteria, and toxicity entering the streams. Hydrology and habitat will also be addressed with proper stormwater controls and the identification of sensitive natural areas before and during construction.

C. Responsible Party and Legal Authority

Franklin County EDP will be responsible for the overall management of this Minimum Control Measure. Implementation of this minimum control measure's requirements will be completed by various agencies including Franklin County EDP, the County Engineer's office, the County Drainage Engineer's office and the Franklin Soil and Water Conservation District. Requirements will be addressed by documenting the implementation of BMPs required by the most current OEPA construction general permit. The County Engineer and Franklin County EDP will review the success and document achievement of the measurable goals of the construction site stormwater runoff control program and BMPs.

Franklin County EDP has the legal authority to develop and enforce regulations for construction site stormwater runoff control for all major county subdivisions. The Franklin County Subdivision Regulations, adopted in 2012, address the requirements for developing major subdivisions. Section 303 and 305 of the Subdivision Regulations and Section 3.5 of the Franklin County Stormwater Drainage Manual address erosion and sediment control requirements for major subdivision and require compliance with the applicable OEPA Construction General Permit. Section 800 of the Subdivision Regulations outlines enforcement procedures for violations, including penalties for violations.

Franklin County EDP has the legal authority to develop and enforce regulations for construction site stormwater runoff control for single lot developments in 10 of the 17 townships in Franklin County. Franklin County uses zoning regulations for this purpose. Sections 705 and 710 of the Franklin County Zoning Resolution are used to ensure compliance with NPDES permit requirements; this includes requirements for the review of development proposals, inspections, enforcement and penalties for non-compliance. Section 551 of the Franklin County Zoning Resolution addresses nuisances including trash, toxic and hazardous materials.

The remaining seven townships adopt and enforce township zoning regulations that address construction site stormwater runoff control for single lot developments. The seven townships administering their own zoning include: Blendon, Jackson, Jefferson, Perry, Plain, Prairie and Washington. These seven townships have similar legal authority and requirements for development as Franklin County.

Franklin Soil and Water Conservation District has the authority to provide assistance and review for erosion and sediment control as outlined in ORC 1515.

The County Engineer's office has agreed to assist in reviewing stormwater calculations for the townships.

BMP	Measurable Goal	Summary of Planned Activities	Proposed Schedule & Responsible Party
1) Ordinance or Other Regulatory Mechanism	a. Regulatory mechanism requiring implementation of proper erosion and sediment controls and Stormwater pollution prevention for all development sites disturbing over one acre and in compliance with General Construction Permit.	 i. Enforce sediment and erosion control of one acre or more with existing regulations and state regulations meeting permit minimum requirements. ii. Continue reviewing and updating regulatory mechanism iii. Cite local code(s) being used (If available, web link for code(s)) will be reported in the annual report). 	Ongoing, FCEDP Planning Staff Townships with own zoning, designated staff FSWCD Urban Conservationist Ongoing, FCEDP Planning Staff Townships with own zoning, designated staff Annually, FCEDP Planning Staff Townships with own zoning, designated staff
2) Sediment and Erosion Control Requirements	a) Enforce regulatory mechanism requiring implementation of proper erosion and sediment controls.	i. Enforce sediment and erosion control of one acre to ensure compliance with existing regulations and state regulations.ii. Annually report inspection results.	Ongoing, FCEDP Planning Staff Townships with own zoning, designated staff FSWCD Urban Conservationist Annually, FSWCD Urban Conservationist

BMP	Measurable Goal	Summary of Planned Activities	Proposed Schedule & Responsible Party
3) Complaint Process	a. All complaints documented and forwarded to correct agency to address.	i. Number of complaints received and followed-up on results recorded.ii. Complaint database results will be included in the annual report.	AnnuallyFSWCD Urban ConservationistFCDE Project ManagerFCEDP Planning StaffTownships with own zoning, designated staff
4) Site Plan Review Procedures	a. Continue to utilize procedures for reviewing construction plans for sites over one acre for erosion and sediment control and stormwater pollution prevention.	 i. Implement existing procedures for construction site plan review. ii. Continue reviewing and updating procedures for construction site plan review to reflect changes in state and local regulations. iii. Number of sites requiring plans and number of plans reviewed will be reported in the annual report. iv. Use a checklist to document SWP3 reviews for sediment/erosion controls and post-construction water quality controls. 	Ongoing, FCEDP Planning Staff Townships with own zoning, designated staff, FSWCD Urban Conservationist Ongoing, FCEDP Planning Administrator Annually, FSWCD Urban Conservationist

BMP	Measurable Goal	Summary of Planned Activities	Proposed Schedule & Responsible Party
5) Site Inspection Procedures	a. Continue site inspection schedule in compliance with site inspection procedures adopted by each agency. The frequency of inspections must be no less than monthly.	 i. Review procedures with relevant county and township staff. ii. Number of sites, number of inspections, and average frequency of inspections will be reported in the annual report. iii. Use a checklist to document construction site inspections for sediment/erosion controls and post-construction water quality controls. iv. Applicable sites which have the compliance issues outlined in the current permit shall be inspected once every 14 calendar days. 	Annually FSWCD, Urban Conservationist FCEDP Planning Staff Townships with own zoning, designated staff
6) Enforcement Procedures	a. Continue to implement enforcement procedures in regulatory mechanisms for erosion and sediment controls, construction site waste controls and stormwater pollution prevention to ensure all requirements are being met.	 i. Continue to enforce non-compliance with existing procedures that meet minimum permit requirements. ii. Review and update of enforcement procedures to enhance program. iii. Number of violation letters and number of enforcement actions will be reported in the annual report. 	Ongoing FCEDP Planning Administrator Townships with zoning, Administrator Ongoing FCEDP Planning Administrator Townships with zoning, Administrator Annually FSWCD Urban Conservationist

5. Post-Construction Stormwater Management in New Development and Redevelopment

A. Introduction

These measures start at development plan review and continue through ongoing management of stormwater management practices that remain on site after construction. Well designed and maintained post construction stormwater management addresses both water quantity and quality for the long term. This includes the use of non-structural Best Management Practices (BMPs), including wise placement of green space and stream buffers which can reduce costs of ongoing maintenance. Benefits of managed stormwater runoff include increased infiltration for ground water recharge, decreased stream erosion through reduction of stormwater volumes, and improved water quality by capturing pollutants from runoff using well designed BMPs or treatment trains. These benefits will also help improve the TMDL issues of sediment, habitat, and hydrology.

Requirements from Ohio EPA Permit:

- Develop, continue to implement and enforce a program to address stormwater runoff from new development and redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale, that discharge into our small MS4. The program will ensure that controls are in place that will prevent or minimize impacts.
- Develop and implement strategies which include a combination of structural and/or nonstructural BMPs appropriate for our community.
- Use an ordinance or other regulatory mechanism to address post-construction runoff from new development and redevelopment projects to the extent allowable under State or local law. The ordinance or regulatory mechanism will, at a minimum, be equivalent with the technical requirements set forth in the applicable Ohio EPA NPDES General Stormwater Permit (s) for Construction Activities applicable for our permit area which have been issued at the time of issuance of this permit. This includes the following Ohio EPA NPDES General Stormwater Permits for Construction Activities: OHC000003, OHCD00001 and OHCO00001.
- The plan will ensure adequate long-term operation and maintenance of BMPs, including provisions for how to ensure continuity of O&M plans when the property changes ownership.
- Include, at minimum, one (1) on-site inspection of each post-construction runoff control during the permit term
- Provide educational opportunity on green infrastructure/CGP Table 4b practices.
- For watersheds with TMDLs for total suspended solids (Olentangy) or nutrients (Big Darby, Big Walnut, and Olentangy), implement one of the following: (1) retrofit an existing peak-discharge stormwater practice; (2) perform restoration of at least three hundred linear feet of channelized stream; (3) update ordinance to require green infrastructure/CGP Table 4b practices where feasible; or (4) install a green infrastructure/CGP Table 4b practice to treat a minimum of one acre of existing impervious area.

B. Decision Process

Franklin County will address stormwater runoff from new development and redevelopment projects that disturb greater than or equal to one acre including projects less than one acre that are part of a larger common plan of development or sale, with controls that prevent or minimize water quality impacts.

The Franklin County Stormwater Partnership will continue to enforce stormwater runoff controls on construction projects that disturb one acre or more of land. Reduction of pollutants in stormwater discharges from construction activity disturbing less than one acre shall be included if that construction activity is part of a larger common plan of development or sale that would disturb one acre or more.

The Franklin County Stormwater Partnership will continue to promote post-construction nonstructural BMPs by recommending the adoption of appropriate policies and ordinances to regulatory authorities. Such policies and ordinances will protect environmentally sensitive areas and natural resources. The policies and ordinances may include conservation development regulations, riparian setback regulations, wetland setback regulations, and tree ordinances.

The Franklin County Stormwater Drainage Manual outlines requirements for post-construction structural BMPs including permitted types of practices, design standards, and long-term operation and maintenance requirements. Land use, potential pollution sources, existing water quality, and stormwater system information will be considered when selecting BMPs for this minimum control measure.

TMDLs are targeted in the development of programs that support the Best Management Practices prescribed in this minimum measure. By ensuring that proper long-term controls for stormwater management are installed and maintained properly, there will be a reduction in nutrients, bacteria, and toxicity entering the streams. Hydrology and habitat will also be addressed with proper stormwater controls and the identification of sensitive natural areas.

C. Responsible Party and Legal Authority

Franklin County EDP, County Engineer and Drainage Engineer's office will be responsible for the overall management and implementation of the post-construction stormwater management program. Franklin Soil and Water will provide support with technical guidance and educational opportunities to assist the County in training and meeting this minimum control measure.

To the extent allowable under state and local law, Franklin County and townships have adopted regulations complimentary to the OEPA NPDES General Construction Permit requirements, for addressing post-construction runoff from new development and redevelopment projects. The regulatory mechanisms address implementation, maintenance, inspection and enforcement.

Franklin County EDP has developed and enforces regulations for post-construction stormwater management for all major county subdivisions. Section 300 of the Franklin County Subdivision

Regulations addresses requirements for the development of a major subdivision. Section 307 of the Subdivision Regulations and Section 3.3 of the Franklin County Stormwater Drainage Manual specifically address post construction requirements.

Franklin County EDP has developed and enforces regulations for post-construction stormwater management for single lot developments in 10 of the 17 townships in Franklin County. Sections 705 and 710 of the Franklin County Zoning Resolution are used to ensure compliance with NPDES permit requirements; this includes requirements for the review of development proposals, inspections, enforcement and penalties for non-compliance.

The remaining seven townships have adopted and enforce township zoning regulations that address post-construction stormwater management for single lot developments. The seven townships administering their own zoning include: Blendon, Jackson, Jefferson, Perry, Plain, Prairie and Washington.

Franklin Soil and Water Conservation District has the authority to provide assistance and review for erosion and sediment control as outlined in ORC 1515.

BMP	Measurable Goal	Summary of Planned Activities	Proposed Schedule & Responsible Party
1) Ordinance or Other Regulatory Mechanism	a. Regulatory mechanism requiring implementation of post-construction runoff controls for all development sites over one (1) acre, including redevelopment sites.	 i. Continue reviewing and updating regulatory mechanisms to enhance program. ii. Cite local code(s) being used. 	Ongoing FCEDP Planning Administrator Townships with zoning, Administrators Annually FSWCD Urban Conservationist FCDE Project Engineer
2) Post-Construction Requirements	a. Continue to support nonstructural BMPs such as policies and ordinances that direct growth away from environmentally sensitive areas and protect valuable natural resources.	i. Adopt policies or ordinances such as riparian ordinances, tree ordinances, wetland ordinances, and conservation development.	Ongoing FCEDP Planning Administrator FSWCD Urban Conservationist Townships with zoning, Administrators

BMP	Measurable Goal	Summary of Planned Activities	Proposed Schedule & Responsible Party
	b. Provide guidance for structural BMPs using the Franklin County Stormwater Drainage Manual.	i. Structural and nonstructural standards being used will be listed in the annual report.	Annually FSWCD Urban Conservationist FCEDP Planning Staff Townships with own zoning, designated staff
3) Site Plan Review Procedures	a. Continued implementation of procedures for reviewing stormwater pollution prevention plans for sites over one (1) acre for post-construction BMPs, both structural and nonstructural, including commercial sites.	 i. Review and enhance procedures for reviewing stormwater pollution prevention plans. ii. Number of sites requiring plans and number of plan reviews will be reported in the annual report. iii. Use a checklist to document SWP3 reviews for sediment/erosion controls and post-construction water quality controls. 	Ongoing FCEDP Planning Administrator Township with zoning, Administrators FSWCD Urban Conservationist FCDE Project Manager Annually FSWCD Urban Conservationist

BMP	Measurable Goal	Summary of Planned Activities	Proposed Schedule & Responsible Party
4) Site Inspection Procedures	a. All post construction structural and non-structural BMPs will be inspected during implementation and prior to acceptance to ensure the BMP will function as intended to reduce stormwater runoff from new development and redevelopment projects- at the time of acceptance, as well as for the long-term operation and maintenance.	 i. Ensure all post-construction BMPs are functioning as intended at the time of acceptance. ii. Ensure all post-construction BMPs are functioning as intended for long term operation and maintenance with a minimum one (1) on-site inspection per permit term. iii. Use a checklist to document post-construction site inspections. iv.Number of sites, number of inspections, and average frequency of inspections will be reported in the annual report. 	January 2011 FCDE Project Manager Annually FCDE Project Manager FCEDP Planning Staff Townships with own zoning, designated staff FSWCD Urban Conservationist
5) Enforcement Procedures	a. Enforcement procedures that ensure post construction BMPs are in place as intended and according to the general stormwater permit for construction activities applicable to either the County or the Darby Watershed, whichever area the project is located.	i. Continue implementing regulatory enforcement mechanism.ii. Number of violation letters and enforcement actions will be reported in the annual report.	Ongoing and Annually FCEDP Planning Administrator Township with Zoning, Administrators FCDE Project Manger FSWCD Urban Conservationist

BMP	Measurable Goal	Summary of Planned Activities	Proposed Schedule & Responsible Party
6) Long-Term O&M Plans/Agreements	a. To ensure the long-term management and operation of the approved post- construction BMPs, an O&M plan, with a signed agreement between the developer and jurisdiction, must be approved by the appropriate jurisdiction.	 i. Continue requiring O&M Agreements for post construction BMPs ii. Ensure that private and public post-construction controls are being maintained per existing O&M agreements, including when property changes ownership. iii. Provide one (1) on-site inspection of each post-construction BMPs once during the permit term (see BMP "Site Inspection Procedures") iv. Number of sites requiring plans and number of agreements in place will be reported in the annual 	Ongoing FCEDP Planning Administrator Township with Zoning Administrators, FSWCD Urban Conservationist FCDE Project Manager Annually FSWCD Urban
7) Green Infrastructure Educational Opportunity	a. Education provided to contractors, SWP3 designers, and/or employees on OHC000005 Table 4b practices and/or other green infrastructure practices	 i. Promote and deliver educational information on green infrastructure practices. See MCM (1) BMP (4) "Educational Information and Outreach to the Development Community" 	Conservationist Once During Permit Term FSWCD Urban Conservationis
8) Green Infrastructure Implementation Project	a. Completion of one of the defined implementation projects in watersheds with TMDLs for Total Suspended Solids (Olentangy) or Nutrients (Big Darby, Big Walnut, and Olentangy).	 -Implement one of the following during the permit term: i. Retrofit an existing peak discharge stormwater practice ii. Stream restoration of at least three hundred (300) feet iii. Include green infrastructure requirements through ordinance/regulatory mechanism iv. Install a green infrastructure practice to treat a minimum one (1) acre impervious surface 	Once During Permit Term FCDE Project Manager Township Designated Staff Big Darby Watershed Brown Township, Norwich Township, Pleasant Township, Prairie Township Big Walnut Watershed Jefferson Township Plain Township

	Olentangy Watershed Perry Township Sharon Township	
--	--	--

6. Pollution Prevention and Good Housekeeping

A. Introduction

The Pollution Prevention and Good Housekeeping Minimum Control Measure (MCM) requires the operator of a permitted Municipal Separate Storm Sewer System (MS4) to develop and implement an operation and maintenance program with the ultimate goal of reducing pollutant runoff from municipal operations such as park and open space maintenance, fleet and building maintenance, MS4 maintenance, new construction and land disturbances. TMDLs that may be addressed under MCM #6 are nutrients (from salt and fertilizers), and urban runoff (from the chemicals, paints, solvents, etc. used in the maintenance facilities.)

Applicable Requirements from Ohio EPA Permit:

- i. Required employee training to prevent and reduce stormwater pollution from activities such as park and open space maintenance, fleet and building maintenance, new construction and land disturbances and stormwater system maintenance.
- ii. For facilities not requiring a separate NPDES Industrial Permit that conduct activities described in 40 CFR 122.26 (b)(14) such as vehicle maintenance facilities, fueling stations, salt storage, waste transfer stations, composting facilities and bus terminals, a Stormwater Pollution Prevention Plan (SWP3), shall be developed and implemented using the industrial permit SWP3 as a guide.
- iii. MS4 must adopt maintenance activities, schedules, inspection procedures, and proper waste disposal for controls to reduce pollutants.
- iv. Salt piles must be covered and brine tanks and/or liquid road treatments must have secondary containment or barrier protection.
- v. For soil disturbance associated with ditch/MS4 maintenance, soil must be stabilized within 2 days (within 50 feet of surface water of the State) or within 7 days (not within 50 feet of surface water of the State) of reaching final grade or if the area is to remain inactive for more than 14 days.
- vi. For watersheds with TMDLs for total suspended solids (Olentangy), nutrients (Big Darby, Big Walnut, Olentangy), or pathogens (Big Darby, Big Walnut, Olentangy, Walnut Creek), implementation of one of the following options (1) street sweeping twice per year; (2) catch basin cleaning program; (3) leaf/yard waste collection program; or (4) quarterly facility inspections and documentation of SWPPP facilities.
- vii. New flood management projects must be assessed for impacts on water quality. Existing projects should also be evaluated for opportunities to incorporate additional water quality protection devices and practices.

B. Decision Process

The application of the NPDES permit requirements to Phase II communities presents some significant challenges for some agency partners participating in the Franklin County NPDES program. Employees of agencies with small staff resources are responsible for more diverse group of tasks. However, the nature of MCM #6 is specific to each agency partner and facility. It was determined that the most effective way to meet the intended program goals of MCM #6 was to utilize the greater NPDES program staff resources to provide training and guidance to Agency partners and facility managers. Agency partners and facility managers could develop appropriate procedures or

controls after evaluating their operations, resources and facilities. They could also draw on resources and expertise available through the Franklin County NPDES program to for guidance and assistance when needed.

Actions completed under this MCM have included facilitating training and communication with partner agencies and providing guidance for the evaluation of municipal facilities and the development of SWPPPs where appropriate. The goal and intent has been to efficiently provide to the key personnel for each partner agency, the knowledge to examine and manage their own actions and facilities to reduce stormwater pollution discharging from streets, parking lots, open spaces, salt storage area, fueling stations and vehicle maintenance facilities to local waterways.

It is recommended that agency partners have appropriate operation and maintenance programs which include procedures, maintenance schedules and inspection schedules designed to prevent or reduce pollutant runoff from municipal operations. Items covered may include but are not limited to:

- a. Storing potential pollutants inside or under cover
- b. proper disposal of waste
- c. salt storage and handling
- d. oil water separator maintenance
- e. MS4 maintenance and waste disposal
- f. street sweeping
- g. trash pickup along roads
- h. minimization and safe use of herbicides and pesticides

The NPDES program group also provides training each year for employees of co-permittees, and facility managers are encouraged to provide in house training specific to their operations and SWPPP if applicable. In house training should include facility specific information on reducing and preventing stormwater runoff from the facility. Some examples are:

- i. emergency spill procedures,
- j. maintenance activities and schedules,
- k. record keeping,
- 1. stormwater flow path and
- m. proper disposal of waste.

Facility managers are also encouraged to share ideas and training opportunities with other facility managers who are co-permittees.

It is recommended that agency partners reduce or eliminate the discharge of pollutants from streets, roads, municipal parking lots, storage yards, maintenance facilities and salt storage facilities by storing potential pollutants indoors and/or in secondary containment, keeping exposed impervious surface clean and free from potential pollutants, minimizing the use of pesticides and herbicides, implementing street sweeping and trash pick-up programs and implementing BMPs which reduce runoff and or pollutant load.

Salt usage and conservation have not been a focus point because related decisions are driven by the need to provide for the safety of the traveling public while at the same time conserving limited financial resources. However, facility managers are encouraged to store salt under cover and to ensure handling areas are well cleaned after salt handling activities.

To further enhance the program, the township representative on the NPDES committee will continue to communicate with individual townships and work with them to improve stormwater quality

efficiencies in facility and operation management, employee training, record keeping and annual reporting. Opportunities will be sought for shared training between co-permittees, facility evaluations will be reviewed and the need for regular inspection and recordkeeping emphasized.

The MS4 permit does require the county and townships to assess new flood management projects for water quality impacts and consider retrofits for existing projects. There are currently no facilities that fit this definition under county or township ownership at this time.

C. Description of Facilities Owned and Operated by Co-Permittees

(Updated March 2022)

Co-permittee		Located in	Ac	tivities Conduc	ted	SW	/ P3	Industr	rial Permit
Agency or Department Facility Name Address	Contact, & Phone	the Urbanized Area*? (Y/N)	Salt Storage (Y/N)	Vehicle Maintenance (Y/N)	Vehicle Fueling (Y/N)	Required (Y/N)	Developed (Y/N)	Permit #	No Exposure Certification #
Franklin County Engineer's Office East Outpost 4801 Hendron Road Groveport, OH 43215	Kate Laucher Drainage Project	Yes	Yes	Yes	Yes	Yes	Yes	N/A	N/A
West Outpost 4444 Fisher Road Columbus, OH 43291	Engineer 614-525-7318	Yes	Yes	Yes	Yes	Yes	Yes	N/A	N/A
Main Office Facility 970 Dublin Road Columbus OH 43215		Yes	Yes	Yes	Yes	Yes	Yes	N/A	N/A
Fleet Maintenance 1721 Alum Creek Drive, Columbus, OH 43207	Charlotte Ashcraft 614-525-3412	Yes	No	Yes	No	Yes	Yes	N/A	N/A
Primary Facility Maintenance Court House 373 South High St. Columbus, OH 43215	Mark Hunter 614-525-5580	Yes	No	No	No	No	No	N/A	N/A
Dog Shelter 4340 Tamarack Boulevard Columbus, OH 43224	Mark Hunter 614-525-5580	Yes	No	No	No	No	No	N/A	N/A

*Note: The information listed for "Located in the Urbanized Area" refers to whether at least a portion of the township is included in the urbanized area (not the specific township facility address).⁵

⁵ United States Environmental Protection Agency NPDES: Urbanized Area Maps for NPDES MS4 Phase II Stormwater Permits <u>https://www.epa.gov/npdes/urbanized-area-maps-npdes-ms4-phase-ii-stormwater-permits</u> (accessed March 2022).

County and Township Facilities									
a			Act	ivities Condu	icted	SWP3		Industrial Permit	
Co-permittee Agency or Department Facility Name Address	Contact, & Phone	Located in the Urbanized Area? (Y/N)	Salt Storage (Y/N)	Vehicle Maintenance (Y/N)	Vehicle Fueling (Y/N)	Required (Y/N)	Developed (Y/N)	Permit #	No Exposure Certification #
Blendon Township Service Department 6360 S. Hempstead Road Westerville, OH 43081	John Giamarco Road Sup. 614-882-2673	Yes	Yes	Yes	No	Yes	Yes	N/A	N/A
Brown Township 2491 Walker Road Hilliard Oh. 43026	Joe Martin Twp. Trustee 614-876-2133	Yes	No	Yes	No	No	Yes	N/A	N/A
Clinton Township Road Department 3820 Cleveland Avenue Columbus Oh., 43224	Dave Medley Public Works Sup. 614-471-6854	Yes	Yes	Yes	No	Yes	Yes	N/A	N/A
Franklin Township Road Department 2193 Frank Road Columbus, OH 43223	Jim Stevens Road Sup. 614-279-9411	Yes	Yes	Yes	No	Yes	Yes	N/A	N/A
Hamilton Township Storage Facility 6390 Lockbourne Road Lockbourne, OH 43137	Josh Marcum Road Sup. 614- 491-8550	Yes	No	No	Yes	No	Yes	N/A	N/A
Jackson Township Service Garage 3756 Hoover Road Grove City, OH 43123	Shane Farnsworth Twp. Admin. 614-991-6885	Yes	Yes	No	No*	Yes	Yes	N/A	N/A

*For Jackson Township, fueling takes place at Township Fire Stations 202 and 203.

County and Township Facilities									
			Activities Conducted			SWP3		Industrial Permit	
Co-permittee Agency or Department Facility Name Address	Contact, & Phone	Located in the Urbanized Area? (Y/N)	Salt Storage (Y/N)	Vehicle Maintenance (Y/N)	Vehicle Fueling (Y/N)	Required (Y/N)	Developed (Y/N)	Permit #	No Exposure Certification #
Jefferson Township Service Department 6620 Havens Corners Road, Blacklick, Oh. 43004	Joe Gerhart Service Sup. 614-861-2440	Yes	Yes	No	No	Yes	Yes	N/A	N/A
Madison Township Groveport Facility 4585 Madison Lane, Groveport, OH 43125	Dave Watkins Public Works Sup. 614-836-4467	Yes	No	Yes	Yes	Yes	Yes	N/A	N/A
Mifflin Township Service Department 218 Agler Rd. Gahanna Ohio, 43230	Roger Boggs Service Director 614-471-4494	Yes	No	No	No	No	N/A	N/A	N/A
Norwich Township Wesley Chapel Cemetery 3225 Dublin Road, Hilliard, OH 43026	Robbie Thomas Road Sup. 614-876-7694	Yes	Yes	Yes	Yes	Yes	Yes	N/A	N/A
Perry Township Road Department 7125 Sawmill Road Dublin, OH 43016	Ian Warren Road Sup. 614-889-8781	Yes	Yes	Yes	Yes	Yes	Yes	N/A	N/A
Plain Township Maintenance Building (at township cemetery) 4585 Reynoldsburg New Albany Road, New Albany, OH 43054	Bob Pharris Maintenance Sup. 614-855-9015	Yes	No	No	Yes	Yes	Yes	N/A	N/A

	County and Township Facilities								
<i>a w</i>			Act	ivities Condu	icted	SWP3		Industrial Permit	
Co-permittee Agency or Department Facility Name Address	Contact, & Phone	Located in the Urbanized Area? (Y/N)	Salt Storage (Y/N)	Vehicle Maintenance (Y/N)	Vehicle Fueling (Y/N)	Required (Y/N)	Developed (Y/N)	Permit #	No Exposure Certification #
Pleasant Township 5373 Norton Road Grove City, OH 43123	Robert Bausch Road Sup. 614-877-4338	Yes	Yes	Yes	Yes	Yes	Yes	N/A	N/A
Prairie Township 6725 Alkire Road Galloway, OH 43119	David McAninch Road Sup. 614- 878-3316	Yes	Yes	Yes	Yes	Yes	Yes	N/A	N/A
Sharon Township Maintenance Facility 5561 Milton Avenue Worthington, OH 43085	Thomas Kayati Road Sup. 614-885-5933	Yes	Yes	Yes	No	Yes	Yes	N/A	N/A
Truro Township 6900 East Main Street Reynoldsburg, OH 43068	Jason Nicodemus Twp. Admin. 614-866-1317	Yes	No	No	No	No	N/A	N/A	N/A
Washington Township 6200 Eiterman Road, Dublin, Ohio 43016	Eric Richter Twp. Admin. 614-652-3929	Yes	No	No	No	No	N/A	N/A	N/A
Village of Lockbourne 85 Commerce Street Lockbourne, OH 43137	Jane McJunkin Administrator 614-491-3161	Yes	No	No	No	No	N/A	N/A	N/A

D. Other Considerations: Green Infrastructure

The Franklin County Stormwater Partnership has long recognized the responsibility and need to set the example for water quality management and stormwater retention. Township and County agencies have committed to locating opportunities for stormwater retention and demonstration projects. These opportunities include bioswales, rain gardens, wetland restoration and conservation easements. Existing green infrastructure demonstrations include a bioswale on the County Engineers West Outpost, a rain garden at Washington Township Community Center, A rain garden at the Clinton Township maintenance facility and conservation easements.

E. Responsible Party and Legal Authority

Responsible Parties are in the table below. Each township and county agency has the authority to manage and make decisions for their facility.

ВМР	Measurable Goal	Summary of Planned Activities	Proposed Schedule and Responsible Party
1) Employee Training Program	a. Annual training related to reduction of pollutant runoff from municipal facilities and operations will be provided for road superintendents, facility managers, and staff who participate in fleet, road or drainage maintenance.	 i) Provide one training session open to all applicable employees of co-permittees including topics on pollution prevention from municipal operations as well as illicit discharge detection and elimination. ii) Provide facility specific training to applicable employees at each facility required to have a SWPPP. 	 i) Annually FSWCD Urban Conservationist ii) Annually Townships-Road Superintendents Fleet Management-Director FCEO-Safety Coordinator.
2) Facilities Subject to Program	a. the facility list will include all facilities operated by agency partners and the criteria used to determine if each facility required a SWPPP.	List of facilities including responsible parties and operations conducted at each facility.	Ongoing FCEO-FCDE Project Manager Townships-Road Superintendents Fleet Management-Director PFM-Mark Hunter FCSE-Director
	b. An industrial SWPPP developed for each facility when required	 i) County facility SWPPP template developed based on industrial SWPPP guidance. ii) SWPPP completed for each facility. iii) Agency partners will evaluate any changes in operations at their facilities that necessitate the development of a SWPPP and develop SWPPPs as needed. 	 i) Complete FCEO-Safety Coordinator ii) Complete Fleet Management-Director FCEO-Safety Coordinator Townships-Road Superintendents iii) Ongoing FCDE-Project Manager and Township Representative


ВМР	Measurable Goal	Summary of Planned Activities	Proposed Schedule and Responsible Party	
2) <i>Continued</i> Facilities Subject to the Program	c. SWPPP implementation evaluations.	 i) Contact facilities with SWPPPs and determine if each SWPPP is up to date, inspection schedules and procedures have been included, inspection reports are on file and if employees have been trained. ii) Document number and frequency of SWPPP facility inspections for annual report. 	Annually Franklin County -Project Manager (FCDE) Townships-Twp. Representative Annually, FCDE-Project Manager FSWCD-Urban Conservationist Townships-Twp. Representative	
3) MS4 Maintenance	a. Agency partners operating MS4 systems, maintain and clean MS4 infrastructure as needed.	 i. Record and report: New storm tile installed, storm tile repaired or replaced, storm tile cleaned, open ditches constructed, open ditch cleaned or repaired, catch basins installed, catch basins repaired or replaced, catch basins cleaned ii. Soil stabilization for MS4/ditch maintenance according to the same standards as construction general permit (within 2 or 7 days of final grade). 	Annually, FCEO-Maintenance Department Supervisor FCDE-Drainage Technician Townships-Road Superintendents Implemented by April 1, 2023 FCEO-Maintenance Department Supervisor FCDE-Drainage Technician Townships-Road Superintendents	
4) Disposal of Wastes	a. Facility managers are responsible for the responsible disposal of waste from the facility they manage. Training and guidance have been provided through the NPDES program.	 i) Each agency partner report if they have developed waste disposal procedures. ii) Record and report the waste disposal and quantity for each of the applicable wastes listed below: Construction and Demolition Waste Vactor Waste Used oil Oil spill pigs Oil water separators Yard waste 	Ongoing FCEO, Safety Coordinator Annually, Townships, Road Superintendents Fleet Management, Director PFM FCDE, Safety Coordinator	

BMP	Measurable Goal	Summary of Planned Activities	Proposed Schedule and Responsible Party
		Recyclables Solvents Septic Tank Waste House Hold Hazardous Waste collected at a community event (reported by quantity and type)	
5) Road Salt	a. Managers of facilities with salt storage should ensure that the facility SWPPP includes provisions to prevent stormwater pollution with high concentrations of salt and to prevent groundwater contamination with highly saline stormwater.	 i. Keep stored salt dry to prevent contamination of ground and surface water. ii. Locate salt storage and handling areas away from stormwater flow paths. iii. Clean and inspect salt handling areas after each salt handling event. iv. Provide secondary containment or bollard/barrier protection for brine tanks/liquid road treatments. v. Report tons of salt used by each agency partner and if each agency operates a salt storage facility or purchases salt from another agency. 	 i-iii) Ongoing Townships-Road Superintendents FCEO-Maint. Dept. Supervisor iv) Completed by April 1, 2023 Townships-Road Superintendents FCEO-Maint. Dept. Supervisor v) Annually Townships-Road Superintendents FCEO-Maint. Dept. Supervisor
6) Pesticide & Herbicide Usage	a. It is recommended that all partner agencies utilize procedures which minimize the use of herbicides and pesticides.	 i. Use properly trained and licensed applicators. ii. Develop procedures to minimize the use of herbicides and pesticides. Report if procedures are developed (yes or no). iii. Document the quantity and type of each herbicide and pesticide purchased. 	 i) Ongoing Townships-Road Superintendents Fleet Management-Director FCEO-Safety Coordinator PFM-Mark Hunter ii-iii) Annually, Townships-Road Superintendents Fleet Management-Director FCEO-Safety Coordinator PFM-Mark Hunter

BMP	Measurable Goal	Summary of Planned Activities	Proposed Schedule and Responsible Party
7) Fertilizer Usage	a. It is recommended that all partner agencies utilize procedures which minimize the use of fertilizer.	i. Develop procedures to minimize the use of herbicides and pesticides. Report if procedures are developed (yes or no).ii. Document the quantity and type of each herbicide and pesticide purchased.	i-ii) Annually, Townships-Road Superintendents Fleet Management-Director FCEO-Safety Coordinator PFM-Mark Hunter
8) Street Sweeping	a. It is recommended that all partner agencies operating and maintain roadways, conduct street sweeping on curb and gutter streets and trash pick-up on other roads where appropriate.	i. Report the number of road miles swept, frequency of sweeping and the method of waste disposal.ii. Document the amount of trash picked up from roadways and disposed of.	i-ii) Annually Townships-Road Superintendents FCEO-Maint. Dept. Supervisor
TMDL Performance Standard for Municipal Operations Good Housekeeping/Pollut ion Prevention Program	 a. Implementation of one of the specified programs for municipal operations good housekeeping in watersheds with TMDLs for total suspended solids (Olentangy), nutrients (Big Darby, Big Walnut, Olentangy), or pathogens (Big Darby, Big Walnut, Olentangy, Walnut Creek) 	 Choose one: Street sweeping program to sweep curbed streets twice per year Catch basin cleaning program to clean all catch basins at minimum once every five years Leaf/yard waste collection program Quarterly facility inspections for SWPPP facilities including documentation standards from the permit. 	Programs to be Implemented by April 1, 2023 Schedule:(i) Twice Per Year(ii) Once per Permit Term(iii) Annually(iv) QuarterlyFCDE Project Manager Township Designated StaffBig Darby Watershed Brown Township, Norwich Township, Pleasant Township, Prairie TownshipBig Walnut Watershed Jefferson Township Plain TownshipBig Walnut Watershed Jefferson TownshipOlentangy Watershed

			Perry Township Sharon Township
			Walnut Creek Watershed Madison Township
Flood Management Projects	Ensure storm water management is considered for flood management projects	Track new or existing flood management projects assessed for impacts on waterways.	Ongoing FCDE

Appendix A: Table of Organization



Appendix B: HSTS Schedule and Plan of Elimination

6		Task Mode	Task Name	Duration	Start	Finish	Predecessors	Resource Names	2021 2022 2023 2024 2025 2025 2025 2025 2025 2025 2025
1		Mode	14. c. Evaluate areas served by sanitary sewer	1364 days	Sat 8/1/20	Fri 10/24/25			
2	•	*	Obtain Customer Data Files for Sewer Service providors in Franklin County	90 edays	Sat 8/1/20	Fri 10/30/20		FCSE	rcse
3	ŧ	-	Map sewer customer data	180 edays	Fri 10/30/20	Wed 4/28/21	2	FSWCD	FSWCD
4	ŧ	-	Identify homes not billed for available sanitary service	180 edays	Wed 4/28/21	Mon 10/25/21	3	FSWCD,FCPH,FCSI	PSWCD,FCPH FCSE
5	ŧ	-	Investigate homes not billed for connection to available sanitary service	1095 edays	Tue 7/27/21	Fri 7/26/24	4SS+90 edays	FCPH,FCDE	FCPH,FCDE
6	ŧ	-	Enforce connections to available sanitary service	1460 edays	Mon 10/25/21	Fri 10/24/25	555+90 edays	FCPH,FCProsecute	FCPH, FCProsecutor
7		-	14. b. Identify and address Discharging HSTS	2930 days	Mon 10/25/21	Sat 1/15/33			
8	•	-	Compare HSTS Map with Sewer Customer Map	180 edays	Mon 10/25/21	Sat 4/23/22	4	FSWCD	FSWCD
9	•	•	Inspect parcels with unknown HSTS type	1095 edays	Sat 4/23/22	Tue 4/22/25	8	FCPH	FCPH
10	ŧ	•	Video inspect storm sewers as needed	1825 edays		Wed 7/21/27	955+90 edays	FCDE,FCE	FCDE,FCE
11	•	•	Map the type of HSTS identified on each parcel	1825 edays	Fri 7/22/22	Wed 7/21/27	1055	FSWCD	FSWCD
12	ŧ	•	Work with property owners to eliminate unnecessary or illicit discharging systems	3650 edays	Wed 1/18/23	Sat 1/15/33	1055+180 edays	FCPH	FCPH
13	•	•	enforce illicit connection removal	3650 edays	Wed 1/18/23	Sat 1/15/33	10SS+180 edays	FCPH,FCProsecute	FCPH,FCProsecutor
14	ł	-	14. e. Add discharging HSTSs to the Operation and Maintenance Plan		Wed 1/18/23	Sat 1/15/33	1055+90 edays	FCPH	
15	•	-	Notify of requrement to seek NPDES permit for replacement discharging systems		Wed 1/18/23	Sat 1/15/33	1255	FCPH	БСРН
roject: ate: Tu			Task Split Milestone		Summary Project Sum Inactive Tasl		Ina	ctive Milestone Ctive Summary II nual Task	Duration-only Start-only E External Milestone Manual Progress Manual Summary Finish-only 3 Deadline # Manual Summary External Tasks Progress
									Page 1

Appendix C: Sanitary Sewer Projects



October 30, 2020

To Whom It May Concern:

The Department of Sanitary Engineering, on behalf of the Franklin County Board of Commissioners, continues to work diligently with appropriate health, environmental, and township authorities to remedy areas of failing on-lot home sewage systems with public sewer in areas where we have contractual authority with the City of Columbus. In fact, our department has been producing these solutions since 1998 with the advent of the Emmit and Mix Avenue sanitary sewer project.

To date, our department with the support of the Board of Commissioners has completed 19 such projects at a cost in excess of \$35MM for over 2,600 homes (see Table 1). In addition, our department currently has three new projects with projected costs in excess of \$10MM under way to address another approximately 224 homes where failing on-lot systems have occurred, the bulk of which is expected to be completed by 2022.

To that effect, the design for the Kanawha – Rosslyn sanitary sewer project is very nearly complete, with a PTI (permit-to-install) application expected to be submitted to the Ohio EPA in January 2021, and construction to begin that following Spring. Furthermore, we have submitted funding applications to the State of Ohio's State Capital Improvement Program, Round 35 (September 2020), for both the Hague Avenue and Ferris Road sanitary sewer projects, and anticipating award announcement by mid December.

Our original list did include a proposed project along Stimmel Road. However, upon further examination of this area, the proposed sewer would be highly complex for a heavily commercialized area with no known residential benefit. The agreements between the County and the City only allows sanitary sewer connections for residential. Therefore, we plan to remove this from the list of future projects.

Sincerely,

heathenn

Stephen A. Renner Director

SERVICE | PROGRESS | EXCELLENCE

Appendix D: Sediment and Erosion Control Enforcement Escalation Process

Sediment and Erosion Control Inspection Notice of Violation Escalation Process for NPDES Reporting

The following table outlines the escalation process for violations of the NPDES permit. Please note it is the responsibility of City/Township/Village staff to enforce the stop work order.

Escalation Process	Responsible Party
1 st Notice of Violation	Franklin Soil and Water
after 3 days of notice for corrective action ¹ except sed	iment settling ponds
after 10 days of notice for sediment settling ponds	
2 nd Notice of Violation	Franklin Soil and Water
no corrective action taken to first notice	
3 rd Notice of Violation	Franklin Soil and Water
no corrective action taken to second notice results in a to City/Township/Village staff for enforcement action.	•
Stop Work Order	City/Township/Village
7 days to correct violations	
Violation sent to County Prosecutor's office for legal action	County Prosecutor

1 – corrective action involves a scheduled site revisit and does not include routine maintenance issues unless no action has been taken

Appendix E: Sediment and Erosion Control Site Inspection Template

Parcel ID/Address/Lot II: NO: Acreage Disturbed: Energy Disturbed: Englished: Energy Disturbed: Englished: Energy Disturbed: Englished: Energy Disturbed: Englished:	Project Name: Municipality/Township:		Inspector(s) Select Inspector(s) Enter up to 3 Select Inspector(s)
Receiving Waters: Control (Proving Township Only): Trype of Inspection: Checklist DB Perminer (Proving Township Only): Trype of Inspection: Routine Discharge Occurring? Primary Contact: Trype of Inspection: Routine Inspection Checklist BMP/Activity Maintenance Needed? Imeline for Action Mo / Not Applicable No / Not Applicable No Action Required No / Not Applicable No Action Required Sediment Basins/Traps Surface adments: No / Not Applicable No Action Required No Action Required No / Not Applicable No Action Required No / Not Applicable No Action Required No / Not Applicable No Action Required No Action Required No Action Required No / Not Applicable No Action Required No Action Required No / Not Applicable No Action Required No Action Required No / Not Applicable No Action Required No Action		10	
LDR Permit (Prairie Township Only): Discharge Occurring? Primary Contact: Type of Inspection: BMP/Activity Maintenance Needed? Simple Simpl		Disturbed:	
Primary Contact: Type of Inspection: Routine Inspection: Checklist BMP/Activity Maintenance Needed? Timeline for Action Comments Any applicable photos are attached Construction Entrance Ware require should underlay stone. No / Not Applicable Any applicable photos are attached No / Not Applicable magnet: rotabilized and/or have good areas dots on and years day, establin a datagined entrance. No / Not Applicable No / Not Applicable No / Not Applicable magnet: rotabilized interacting areas attached and/or have good grand and status status and break for tears/demands. Unset for tears/ damage. No / Not Applicable No / Not Applicable No / Not Applicable Ware rotabilized interacting areas attached and/or have good grand and status and check for tears/domage. No / Not Applicable No / Not Applicable No / Not Applicable No Action Required No / Not Applicable No / Not Applicable No / Not Applicable No Action Required No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable N			•
Inspection Checklist BMP/Activity Maintenance Needed? Timeline for Action Comments Any applicable photos are attached Construction Entrance (for require generative status) executive status) and generative status (for require generative status) executive status) and generative status (for require generative status) executive status) and generative status (for require generative status) (for require status) (for requires) (for requ			
BMP/Activity Maintenance Needed? Timeline for Action Comments Any applicable photos are attached Construction Entrance (wr eauir genide to detain of a version genide state to time divise pression (sersite and during states) stores. No / Not Applicable No Action Required No Action Required States State States attached (sersite and during stores) No / Not Applicable No Action Required No Action Required States States States attached (sersite) attaches (sersite and during how account and action (how account and action) (how account action) (how account action) (how Action Required No / Not Applicable No Action Required No Action Required	many contact.	Increation	
BMI/ Activity Timeline for Action Any applicable photos are attached Construction Entrance Wrequie parkedic produces are attached No / Not Applicable No Action Required No Roads/Off-Site Tracking maset roads at and of each days, stockin or weaping schedule, weaping schedule, weached tasagned entrances. No / Not Applicable No Action Required No / Not Applicable No Action Required Time Processor No / Not Applicable No Action Required No / Not Applicable No Action Required Time Processor No / Not Applicable No Action Required No / Not Applicable No Action Required Time Processor No / Not Applicable No Action Required No / Not Applicable No Action Required Stabilization: Feroperation No / Not Applicable No Action Required No / Not Applicable No Action Required Stabilization: Feroperation No / Not Applicable No Action Required No / Not Applicable No Action Required Stabilization: Feroperation No / Not Applicable No Action Required No / Not Applicable No Action Required Stabilization: Feroperation No / Not Applicable No Action Required No / Not Applicable No Action Required Stabilization: Feroperation No / Not Applicable No Action Required No / Not Applicable No Action Required Stabilization: Feroperation No / Not Applicab			1
Work Precubic Registration No / Not Applicable No Action Required No Action Required Stabilization: Temporary Water Stabilization: Temporation Stabili	BMP/Activity		
Bacesetie should underlay store. No Action Required No Action Required No / Not Applicable Name/Database No / Not Applicable Noper Instabilities (Interached and/or have good product desc). Check for teran / domaines No / Not Applicable No / Not Applicable No / Not Applicable Name/Database No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable No / Not Applicable Name or accumulated adments and check for sear/damage. No / Not Applicable Nucles in the original interaction of regularized manow accumulated adments and check for sear/damage. No / Not Applicable Nucles in the original interaction of regularized manow accumulated adments and check for sear/damage. No / Not Applicable Nucles in the original interaction of regularized manow accumulated adments and check for sear/damage. No / Not Applicable Nucles in the original interaction of regularized manow accumulated adments and check for sear/damage. No / Not Applicable Nucles in the original interaction of the search as shaded base interaction original interaction original interaction original interaction or searce grading: -days and arcs and grading external -No / Not Applicable -No Action Required -No / Not Applicable -No Action Required -No / Not A		No / Not Applicable	
Inspect root of and of year holds of a service of the service of t	of existing stone to limit off-site tracking.		
Inspect root of and of each day, setablish o designated entronces. Site Fence/Straw Wattle/Berm Progen installation (treached and/or how good pround contool, Check for teams / domage. Remove accumulated sediments. No / Not Applicable No Action Required No Action Required No / Not Applicable No Action Required No Action Required No / Not Applicable No Action Required No Actio		No / Not Applicable	
The resultant back with a statistic in transient and check for grand control. (Thesk for team) damage. No / Not Applicable Proper institution (Transhed and/or how good grand control.) (Thesk for team) damage. No / Not Applicable No more accumulated sediments. No / Not Applicable No Action Required No / Not Applicable No Action Required No / Not Applicable Suffice skinmer in place and functioning: No / Not Applicable Suffice skinmer in place and functioning: No / Not Applicable Stabilization: Temporary No / Not Applicable Areas of the for 14- days; stabilize within No / Not Applicable Naces of the for 14- days; stabilize within No / Not Applicable Naces of the for 14- stage; stabilize within No / Not Applicable Naces of the for 14- stage; stabilize within No / Not Applicable Naces of the for 14- stage; stabilize within No / Not Applicable Naces of the for 14- stage; stabilize within No / Not Applicable No Action Required No / Not Applicable	sweeping schedule; site access limited to		
Progrementationation (treached and/or have good ground context). Check for tear of damage. No / Not Applicable No Action Required No Action Required Sediment Basins/Traps No / Not Applicable Surface skinners in place and functioning: control double stabilized and regulary basis shabilization: Temporary No / Not Applicable No Action Required No Action Required Stabilization: Temporary Areas of the for 14- days stabilized within 7-days of mat recent grading: 2-days if within 7-days of m			
Remove accumulated sediments. No Action Required Inite Protection Remove accumulated sediments and check for tears/damage. No / Not Applicable No Action Required Sediment Basins/Traps Surface shume in place and functionic; bins shuld be and functionic; bins and functione arguined. No / Not Applicable No Action Required Stabilization: Permanent transfue, excountion pilit, groundwater). No / Not Applicable No Action Required No / Not Applicable No Action Required Non / Not Applicable bindes: oncreded j discharges from devariang activity contains settiment transfue, subout area, portable bindes: fuel/chemical storage, etc. No / Not Applicable No Action Required No / Not Applicable bindes: fuel/chemical storage, etc. No / Not Applicable No Action Required Ste operator must conduct inspections every?- days AWD differ angle words producing 0.50- binch: over 24-hr pariod. No / Not Applicable No Action Required Other Notes/ Observations: Type of Action(s) Taken (select at least 1 a	Proper installation (trenched and/or have good		
No No<	Remove occumulated sediments.	No Action Required	
No Action Required No Action Required Sediment Basins/Traps No / Not Applicable Wo Action Required No Action Required Stabilization: Temporary No / Not Applicable Areas diff for 14- dogs, robilize within No / Not Applicable Areas diff for 14- dogs, robilize within No / Not Applicable No Action Required No / Not Applicable Stabilization: Temporary No / Not Applicable Areas diff or 14- dogs, robilize within No / Not Applicable No Action Required No / Not Applicable Nareas diff or dogs or diff ty-; stabilize within No / Not Applicable Areas diff or dogs, robilize within No / Not Applicable No Action Required No / Not Applicable No / Not Applicable No / Not Applicable Non-Sediment Controls No / Not Applicable Non-Ketion Required No Action Required No Action Required No / Not Applicable Non-Ketion Required No Action Required No Action Required No	Remove accumulated sediments and check for	No / Not Applicable	
Surgice skinner in place and functioning: bank should be stabilized on regularly charcked for rilit/guilles. Stabilization: Temporary Area tile for 14- days; stabilize within 7-days of most recent grading; 2-days of within 7-days of most recent grading; 2-days if whith Softer d a vectore/ Areas at fund grade or die 1y- ; stabilize within Areas at fund grade or die 1y- ; stabilize within 7-days of most recent grading; 2-days if whith Softer d a vectore/ Areas at fund grade or die 1y- ; stabilize within Areas at fund grade or die 1y- ; stabilize within Areas at fund grade or die 1y- ; stabilize within Areas at fund grade or die 1y- ; stabilize within Areas at fund grade or die 1y- ; stabilize within Areas at fund grade or die 1y- ; stabilize within No / Not Applicable No Action Required No / Not Applicable No / Not Applicable No Action Required No / Not Applicable No Action Required No / Not Applicable No Action Required No / Not Applicable No / Not Applicable No Action Required No / Not Applicable No / Not Applicable	tears/damage.	No Action Required	
banks should be stabilized on regulary' No Action Required Stabilization: Temporary No / Not Applicable Areas off for 14- days; stabilize within No Action Required Stabilization: Permanent No / Not Applicable Areas off on grader offel Sty-stabilize within No / Not Applicable Areas off on grader offel Sty-stabilize within No / Not Applicable No Action Required No / Not Applicable Stabilization: Permanent No / Not Applicable Areas off on graders offel Sty-stabilize within No Action Required Dewatering No / Not Applicable Kortine Required No / Not Applicable Non-Sediment Controls No Action Required Non-Kotion Required No Action Required Non-Kotion Required No Action Required Non-Sediment Controls No Action Required Non-Kotion Required No Action Required No Action Required N		No / Not Applicable	
Area wile for 14- dogs, tabilize within Todays of mot recent grading; 2-dogs if within Sofeet of a waterway. No / Not Applicable Stabilization: Permanent Area wile of an exceeding within T-dogs of mot recent grading; 2-dogs if within 2-dogs if within Sofeet of a waterway. No / Not Applicable No Action Required Dewatering Control no received of discrease from dematring activity contains sediment franches, exceeding his, groundwater). No / Not Applicable No Action Required Non-Sediment Controls includes concerts watch area, portable folders, fuel/schemical acroge, etc. No / Not Applicable No Action Required Inspection Logs Ste operator must conduct inspections every 7- dogs AM offer ranged events, producing 0-50- Ste operator must conduct inspections every 7- dogs AM offer ranged events, producing 0-50- Observations: No / Not Applicable No Action Required Other Notes/ Observations: No / Not Applicable No Action Required	banks should be stabilized and regularly	No Action Required	
T-days of most recent grading: 2-days if within No Action Required Sofyset of a waterway. No / Not Applicable Areas of hool grade or die 1yre; stobilter within No Action Required Devatering No / Not Applicable Contrals ore needed if diacharges from devaterway. No / Not Applicable Non-Sediment Controls includes concerts working of grandwatery. No / Not Applicable Non-Sediment Controls includes concerts working of grandwatery. No / Not Applicable Non-Sediment Controls includes concerts working of grandwatery. No / Not Applicable No Action Required No / Not Applicable No Action Required No / Not Applicable Now Action Required No / Not Applicable Now Action Required No / Not Applicable No Action Required No / Not Applicable Now Action Required No / Not Applicable No Action Required No / Not Applicable No Action Required No Action Required Ste operator must conduct inspections every 7- No / Not Applicable No Action Required No Action Required Other Notes/ No Action Required Other Notes/ No Action Required Type of Action(s) T		No / Not Applicable	
Stabilization: Permanent Areas of hold group or life ityr; stabilize within "Paday of matrixen group", 2-days if within 50-feet of a waterway. No / Not Applicable No Action Required Dewatering Controls are needed if discharges from dewatering activity contains sediment (tracches, excountion pits, groundwater). No / Not Applicable No Action Required Non-Sediment Controls includes concrete worhout area, portoble toilets, fuel/chemical storage, etc. No / Not Applicable No Action Required Nspection Logs Site operator must conduct inspections every 7- inche over 24-hr period. No / Not Applicable No Action Required Other Notes/ Observations; No / Not Applicable No Action Required Type of Action(s) Taken (select at least 1 action) Name/Date/Other Details	7-days of most recent grading; 2-days if within	No Action Required	
Ards at mol grad or of all 1974; stabulate within No Action Required 2-days of most reading grading; No Action Required Dewatering No / Not Applicable Controb ore needed if discharges from device in grading; No / Not Applicable Non-Sediment Controls No / Not Applicable Non-Sediment Controls No / Not Applicable Nos Action Required No / Not Applicable Site operator must conduct inspections every 7- No / Not Applicable No Action Required No Action Required Other Notes/ No Action Required Other Notes/ No Action Required Other Notes/ No Action Required Type of Action(s) Taken (select at least 1 action) Name/Date/Other Details		No / Not Applicable	
Dewatering Controls are needed if dicharges from deversing activity contains sciences No / Not Applicable Controls are needed if dicharges from deversing activity contains sciences No / Not Applicable Non-Sediment Controls includes concrete wabout area, portable toilets, fuel/chemical storage, etc. No / Not Applicable No Action Required No Action Required Inspection Logs Star operiod: must conduct inspections every 7- days AND after rainfall events producing 0.50- Observations: No / Not Applicable No Action Required Other Notes/ Observations: No Action Required Type of Action(s) Taken (select at least 1 action) Name/Date/Other Details	7-days of most recent grading;		
Control or enserted if discharges from deversion of the second se			
Non-Sediment Controls includes concrete workout area, partable toletsi, fuel/chemical storage, stc. No / Not Applicable Inspection Logs Site operator must conduct inspections every 7- days AWD offer confold events producing 0.50- inche over 24-hr period. No / Not Applicable No Action Required Other Notes/ Observations: No / Action Required	Controls are needed if discharges from		
Ind/ Not Applicable Inspection Logs Site operator must conduct inspections every 7- instruction duct inspections every 7- instruction 2-thr period. Other Notes/ Observations: Type of Action(s) Taken (select at least 1 action) Name/Date/Other Details	(trenches, excavation pits, groundwater).	No Action Required	
No Action Required Inspection Logs Site operator must conduct inspections every 7- days AND ofter roinfall events producing 0.50- inche over 24-tr period. Other Notes/ Observations: Type of Action(s) Taken (select at least 1 action) Name/Date/Other Details	includes concrete washout area, portable	No / Not Applicable	
Ster operator must conduct inspections every 7: NO / NOC Applicable op AND Of rendom syndromy of the	toilets, fuel/chemical storage, etc.	No Action Required	
dop a AMD offer roundail events producing 0.50- inch+ over 24-hr period. No Action Required Other Notes/ Observations:		No / Not Applicable	
Observations: Type of Action(s) Taken (select at least 1 action) Name/Date/Other Details	days AND after rainfall events producing 0.50		1
	Observations:	, 	L
			Name/Date/Other Details
	written inspection sent to	Jundel/Owner	
	Site Inspection Report *Any applicable photos are attached		Open Outlook Page :
	city opplicable proces are attached		rage.